
















































Katalogski broj				Direktni link do proizvoda	Naziv modela	Tehnički opis	EAN kod	VP.cena (RSD)	MP.cena (RSD)	
<b>Industrijski akumulatorski odvrtaći EXACT</b>										
0602490431		x	0	2	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Odvrtać EXACT 6 Obrtni moment: 1-6 Nm Brzina: 600 min-1 Smer rotacije: levo/desno Prihvat alata: 1/4" brzoostrežna glava; bez baterije	3165140232135	50,700.00	60,840.00	
0602490432		x	0	2	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Odvrtać EXACT 6 Obrtni moment: 1-6 Nm Brzina: 600 min-1 Smer rotacije: levo/desno Prihvat alata: 1/4" brzoostrežna glava; 8.6 V / 1.8 Ah baterija	3165140251334	62,300.00	74,760.00	
0602490433		0	x	4	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Odvrtać EXACT 2 Obrtni moment: 0.5-2 Nm Brzina: 600 min-1 Smer rotacije: levo/desno Prihvat alata: 1/4" brzoostrežna glava; bez baterije	3165140251372	50,700.00	60,840.00	
0602490435		0	x	4	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Odvrtać EXACT 9 Obrtni moment: 1.5-9 Nm Brzina: 350 min-1 Smer rotacije: levo/desno Prihvat alata: 1/4" brzoostrežna glava; bez baterije	3165140259590	62,300.00	74,760.00	
0602490437		0	x	4	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Odvrtać EXACT 4 Obrtni moment: 1-4 Nm Brzina: 800 min-1 Smer rotacije: levo/desno Prihvat alata: 1/4" brzoostrežna glava; bez baterije	3165140272520	62,300.00	74,760.00	
0602490439		0	x	4	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Odvrtać EXACT 7 Obrtni moment: 1.5-7 Nm Brzina: 150 min-1 Smer rotacije: levo/desno Prihvat alata: 1/4" brzoostrežna glava; bez baterije	3165140278591	74,900.00	89,880.00	
0602490441		x	0	2	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Odvrtać EXACT 12 Obrtni moment: 1.5-12 Nm Brzina: 400 min-1 Smer rotacije: levo/desno Prihvat alata: 1/4" brzoostrežna glava; bez baterije	3165140251341	61,600.00	73,920.00	
0602490442		x	0	2	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Odvrtać EXACT 12 Obrtni moment: 1.5-12 Nm Brzina: 400 min-1 Smer rotacije: levo/desno Prihvat alata: 1/4" brzoostrežna glava; baterija: 12V/2.4Ah	3165140251358	73,700.00	88,440.00	
0602490443		0	x	4	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Odvrtać EXACT 8 Obrtni moment: 1.5-8 Nm Brzina: 650 min-1 Smer rotacije: levo/desno Prihvat alata: 1/4" brzoostrežna glava; bez baterije	3165140280435	61,600.00	73,920.00	
0602490447		0	x	5	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Odvrtać EXACT 700 Obrtni moment: 1.5-8 Nm Brzina: 700 min-1 Smer rotacije: levo/desno Prihvat alata: 1/4" brzoostrežna glava; bez baterije	3165140329842	73,700.00	88,440.00	
0602490469		0	x	5	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Odvrtać EXACT 60 Obrtni moment: 1 - 5.5 Nm Brzina: 60 min-1 Smer rotacije: levo/desno Prihvat alata: 1/4" brzoostrežna glava; bez baterije	3165140423915	74,900.00	89,880.00	
0602490471		0	0	2	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Odvrtać EXACT 1100 Obrtni moment: 1 - 4 Nm Brzina: 1100min-1 Smer rotacije: levo/desno Prihvat alata: 1/4" brzoostrežna glava	3165140698207	74,900.00	89,880.00	
<b>Industrijski akumulatorski odvrtaći Ugaoni odvrtać EXACT</b>										
0602490635		0	x	4	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Ugaoni odvrtać Exact 15 Obrtni moment: 2 - 15 Nm Brzina: 250 min-1 Smer rotacije: levo/desno Prihvat alata: 3/8" spojni kvadrat; bez baterije	3165140304221	165,600.00	198,720.00	
0602490636		0	x	4	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Ugaoni odvrtać Exact 15 Obrtni moment: 2 - 15 Nm Brzina: 250 min-1 Smer rotacije: levo/desno Prihvat alata: 3/8" spojni kvadrat; sa baterijom 9.6 V/1.8 Ah	3165140304238	177,300.00	212,760.00	
0602490638		0	x	5	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Ugaoni odvrtać Exact 8 Obrtni moment: 2 - 8 Nm Brzina: 420 min-1 Smer rotacije: levo/desno Prihvat alata: 3/8" spojni kvadrat; sa baterijom 9.6 V/1.8 Ah	3165140316477	177,300.00	212,760.00	
0602490647		0	x	5	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Ugaoni odvrtać Exact 2 Obrtni moment: 0.7-2 Nm Brzina: 110 min-1 Smer rotacije: levo/desno Prihvat alata: 1/4" spojni kvadrat, 1/4" unutrašnji šestougaon, 3/8" spojni kvadrat 1/4" brzoostrežna glava; bez baterije	3165140345910	121,600.00	145,920.00	
0602490650		0	x	4	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Ugaoni odvrtać Exact 15 Obrtni moment: 2-15 Nm Brzina: 250 min-1 Smer rotacije: levo/desno Prihvat alata: 1/4" spojni kvadrat, 1/4" unutrašnji šestougaon, 3/8" spojni kvadrat 1/4" brzoostrežna glava; bez baterije	3165140325080	121,600.00	145,920.00	
0602490651		0	x	5	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Ugaoni odvrtać Exact 8 Obrtni moment: 2-8 Nm Brzina: 420 min-1 Smer rotacije: levo/desno Prihvat alata: 1/4" spojni kvadrat, 1/4" unutrašnji šestougaon, 3/8" spojni kvadrat 1/4" brzoostrežna glava; bez baterije	3165140326933	121,600.00	145,920.00	
0602490652		0	x	5	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Ugaoni odvrtać Exact 6 Obrtni moment: 1.5-6 Nm Brzina: 650 min-1 Smer rotacije: levo/desno Prihvat alata: 1/4" spojni kvadrat, 1/4" unutrašnji šestougaon, 3/8" spojni kvadrat 1/4" brzoostrežna glava; bez baterije	3165140326940	121,600.00	145,920.00	
0602490656		0	x	4	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Ugaoni odvrtać Exact 3 Obrtni moment: 0.7-3 Nm Brzina: 420 min-1 Smer rotacije: levo/desno Prihvat alata: 1/4" spojni kvadrat, 1/4" unutrašnji šestougaon, 3/8" spojni kvadrat 1/4" brzoostrežna glava; bez baterije	3165140329859	121,600.00	145,920.00	
0602490669		0	x	5	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Ugaoni odvrtać Exact 7 Obrtni moment: 2-7 Nm Brzina: 110 min-1 Smer rotacije: levo/desno Prihvat alata: 1/4" spojni kvadrat, 1/4" unutrašnji šestougaon, 3/8" spojni kvadrat 1/4" brzoostrežna glava; bez baterije	3165140345897	121,600.00	145,920.00	
0602490671		0	x	4	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Ugaoni odvrtać Exact 30 Obrtni moment: 8-30 Nm Brzina: 220 min-1 Smer rotacije: levo/desno Prihvat alata: 3/8" spojni kvadrat; bez baterije	3165140333313	131,300.00	157,560.00	
0602490672		0	x	4	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Ugaoni odvrtać Exact 30 Obrtni moment: 8-30 Nm Brzina: 220 min-1 Smer rotacije: levo/desno Prihvat alata: 3/8" spojni kvadrat; sa baterijom 14.4 V/2.4 Ah	3165140333320	144,600.00	173,520.00	
0602490673		0	x	4	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Ugaoni odvrtać Exact 23 Obrtni moment: 7-23 Nm Brzina: 320 min-1 Smer rotacije: levo/desno Prihvat alata: 1/4" spojni kvadrat, 1/4" unutrašnji šestougaon, 3/8" spojni kvadrat 1/4" brzoostrežna glava; bez baterije	3165140345927	131,300.00	157,560.00	
0602490675		0	x	5	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Ugaoni odvrtać Exact 17 Obrtni moment: 5-17 Nm Brzina: 560 min-1 Smer rotacije: levo/desno Prihvat alata: 1/4" spojni kvadrat, 1/4" unutrašnji šestougaon, 3/8" spojni kvadrat 1/4" brzoostrežna glava; bez baterije	3165140367301	131,300.00	157,560.00	
0602490690		0	x	5	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Ugaoni odvrtać Exact 14 CF Obrtni moment: 1.4-10 Nm Brzina: 350 min-1 Smer rotacije: levo/desno Prihvat alata: 1/4" spojni kvadrat, 1/4" unutrašnji šestougaon, 3/8" spojni kvadrat 1/4" brzoostrežna glava; bez baterije	3165140400309	132,500.00	159,000.00	
0602490693		0	x	5	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Ugaoni odvrtać Exact 22 CF Obrtni moment: 5-16 Nm Brzina: 440 min-1 Smer rotacije: levo/desno Prihvat alata: 1/4" spojni kvadrat, 1/4" unutrašnji šestougaon, 3/8" spojni kvadrat 1/4" brzoostrežna glava; bez baterije	3165140419123	145,800.00	174,960.00	
0602490691		0	x	5	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Ugaoni odvrtać Exact 29 CF Obrtni moment: 5.7-21 Nm Brzina: 300 min-1 Smer rotacije: levo/desno Prihvat alata: 1/4" spojni kvadrat, 1/4" unutrašnji šestougaon, 3/8" spojni kvadrat 1/4" brzoostrežna glava; bez baterije	3165140419116	145,800.00	174,960.00	
<b>Access-Point za industrijske akumulatorske odvrtaće EXACT - Blue Tooth</b>										
0602491003		#NA	#NA	#NA	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	EXAConnect	Ethernet interfejs (TCP/IP), dva RS 422 porta, 24 V input i output	3165140759900	428,500.00	511,800.00
<b>Industrijski akumulatorski odvrtaći EXACT - Blue Tooth</b>										
0602491431		0	x	5	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Odvrtać EXACT 6 BT Obrtni moment: 1 - 6 Nm Brzina: 600 min-1 Smer rotacije: levo/desno Prihvat alata: 1/4" brzoostrežna glava; bez baterije	3165140394253	89,400.00	107,280.00	
0602491433		0	x	5	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Odvrtać EXACT 2 BT Obrtni moment: 0.6 - 2 Nm Brzina: 600 min-1 Smer rotacije: levo/desno Prihvat alata: 1/4" brzoostrežna glava; bez baterije	3165140410489	89,400.00	107,280.00	
0602491435		0	x	5	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Odvrtać EXACT 9 BT Obrtni moment: 1.5 - 9 Nm Brzina: 300 min-1 Smer rotacije: levo/desno Prihvat alata: 1/4" brzoostrežna glava; bez baterije	3165140394277	108,300.00	129,960.00	
0602491437		0	x	5	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Odvrtać EXACT 4 BT Obrtni moment: 1 - 4 Nm Brzina: 900 min-1 Smer rotacije: levo/desno Prihvat alata: 1/4" brzoostrežna glava; bez baterije	3165140396608	108,300.00	129,960.00	
0602491439		0	x	5	<a href="http://shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=">shop.productiontools.com/wb/optoc2-evisearch.htm?searchterm=</a>	Odvrtać EXACT 7 BT Obrtni moment: 1.5 - 7 Nm Brzina: 150 min-1 Smer rotacije: levo/desno Prihvat alata: 1/4" brzoostrežna glava; bez baterije	3165140410496	126,900.00	152,280.00	

0602491441		0	x	5	<a href="http://shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm">shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm</a>	Odvrtac EXACT 12 BT	Obrtni moment 1,5 – 12 Nm Brzina 400 min-1 Smjer rotacije: levodесno Prihvat alata: 1/4" brzoosvezna glava; bez baterije	31651404375238	107.600,00	129.120,00
0602491443		0	x	5	<a href="http://shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm">shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm</a>	Odvrtac EXACT 8 BT	Obrtni moment 1,5 – 8 Nm Brzina 650 min-1 Smjer rotacije: levodесno Prihvat alata: 1/4" brzoosvezna glava; bez baterije	3165140410502	107.600,00	129.120,00

Industrijski akumulatorski odvrtaci Ugaoni odvrtac EXACT+ Blue Tooth								EAN kod	VP.cena (RSD)	MP.cena (RSD)
0602491647		0	x	5	<a href="http://shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm">shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm</a>	Ugaoni odvrtac EXACT 2 BT	Obrtni moment 0,7-2 Nm Brzina 110 min-1 Smjer rotacije: levodесno Prihvat alata: 1/4" spojni kvadrat, 1/4" unutrašnji šestougao, 3/8" spojni kvadrat 1/4" brzoosvezna glava; bez baterije, Bluetooth Class 2 Modul	3165140400152	221.300,00	265.560,00
0602491650		0	x	5	<a href="http://shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm">shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm</a>	Ugaoni odvrtac EXACT 16 BT	Obrtni moment 2-15 Nm Brzina 250 min-1 Smjer rotacije: levodесno Prihvat alata: 1/4" spojni kvadrat, 1/4" unutrašnji šestougao, 3/8" spojni kvadrat 1/4" brzoosvezna glava; bez baterije, Bluetooth Class 2 Modul	3165140400060	221.300,00	265.560,00
0602491651		0	x	5	<a href="http://shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm">shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm</a>	Ugaoni odvrtac EXACT 8 BT	Obrtni moment 2-8 Nm Brzina 420 min-1 Smjer rotacije: levodесno Prihvat alata: 1/4" spojni kvadrat, 1/4" unutrašnji šestougao, 3/8" spojni kvadrat 1/4" brzoosvezna glava; bez baterije, Bluetooth Class 2 Modul	3165140400053	221.300,00	265.560,00
0602491652		0	x	5	<a href="http://shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm">shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm</a>	Ugaoni odvrtac EXACT 6 BT	Obrtni moment 1,5-6 Nm Brzina 600 min-1 Smjer rotacije: levodесno Prihvat alata: 1/4" spojni kvadrat, 1/4" unutrašnji šestougao, 3/8" spojni kvadrat 1/4" brzoosvezna glava; bez baterije, Bluetooth Class 2 Modul	3165140400091	221.300,00	265.560,00
0602491656		0	x	5	<a href="http://shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm">shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm</a>	Ugaoni odvrtac EXACT 3 BT	Obrtni moment 0,7-3 Nm Brzina 420 min-1 Smjer rotacije: levodесno Prihvat alata: 1/4" spojni kvadrat, 1/4" unutrašnji šestougao, 3/8" spojni kvadrat 1/4" brzoosvezna glava; bez baterije, Bluetooth Class 2 Modul	3165140400107	221.300,00	265.560,00
0602491669		0	x	5	<a href="http://shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm">shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm</a>	Ugaoni odvrtac EXACT 7 BT	Obrtni moment 2-7 Nm Brzina 150 min-1 Smjer rotacije: levodесno Prihvat alata: 1/4" spojni kvadrat, 1/4" unutrašnji šestougao, 3/8" spojni kvadrat 1/4" brzoosvezna glava; bez baterije, Bluetooth Class 2 Modul	3165140400169	221.300,00	265.560,00
0602491671		0	x	5	<a href="http://shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm">shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm</a>	Ugaoni odvrtac EXACT 30 BT	Obrtni moment 9-30 Nm Brzina 220 min-1 Smjer rotacije: levodесno Prihvat alata: 1/4" spojni kvadrat, 1/4" unutrašnji šestougao, 3/8" spojni kvadrat 1/4" brzoosvezna glava; bez baterije, Bluetooth Class 2 Modul	3165140394291	241.900,00	290.280,00
0602491673		0	x	5	<a href="http://shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm">shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm</a>	Ugaoni odvrtac EXACT 23 BT	Obrtni moment 7-23 Nm Brzina 330 min-1 Smjer rotacije: levodесno Prihvat alata: 1/4" spojni kvadrat, 1/4" unutrašnji šestougao, 3/8" spojni kvadrat 1/4" brzoosvezna glava; bez baterije, Bluetooth Class 2 Modul	3165140400176	241.900,00	290.280,00
0602491675		0	x	5	<a href="http://shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm">shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm</a>	Ugaoni odvrtac EXACT 17 BT	Obrtni moment 5-17 Nm Brzina 560 min-1 Smjer rotacije: levodесno Prihvat alata: 1/4" spojni kvadrat, 1/4" unutrašnji šestougao, 3/8" spojni kvadrat 1/4" brzoosvezna glava; bez baterije, Bluetooth Class 2 Modul	3165140400183	241.900,00	290.280,00

Industrijski akumulatorski odvrtaci EXACT sa SEC motorom								EAN kod	VP.cena (RSD)	MP.cena (RSD)
0602492431		x	0	2	<a href="http://shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm">shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm</a>	Odvrtac EXACT 1106	Obrtni moment 1-6 Nm Brzina 1100 min-1 Smjer rotacije: levodесno Prihvat alata: 1/4" brzoosvezna glava; bez baterije	3165140478621	73.200,00	87.840,00
0602492432		x	0	2	<a href="http://shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm">shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm</a>	Odvrtac EXACT 1106	Obrtni moment 1-6 Nm Brzina 1100 min-1 Smjer rotacije: levodесno Prihvat alata: 1/4" brzoosvezna glava; sa baterijom 9,6 V, 1,8 Ah	3165140478638	84.600,00	101.520,00
0602492433		0	x	4	<a href="http://shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm">shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm</a>	Odvrtac EXACT 402	Obrtni moment 0,5-2 Nm Brzina 400 min-1 Smjer rotacije: levodесno Prihvat alata: 1/4" brzoosvezna glava; bez baterije	3165140474177	73.200,00	87.840,00
0602492434		0	x	4	<a href="http://shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm">shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm</a>	Odvrtac EXACT 402	Obrtni moment 0,5-2 Nm Brzina 400 min-1 Smjer rotacije: levodесno Prihvat alata: 1/4" brzoosvezna glava; sa baterijom 9,6 V, 1,8 Ah	3165140474184	84.600,00	101.520,00
0602492435		0	x	4	<a href="http://shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm">shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm</a>	Odvrtac EXACT 459	Obrtni moment 2-9 Nm Brzina 450 min-1 Smjer rotacije: levodесno Prihvat alata: 1/4" brzoosvezna glava; bez baterije	3165140476560	73.200,00	87.840,00
0602492436		0	x	4	<a href="http://shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm">shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm</a>	Odvrtac EXACT 459	Obrtni moment 2-9 Nm Brzina 450 min-1 Smjer rotacije: levodесno Prihvat alata: 1/4" brzoosvezna glava; sa baterijom 9,6 V, 1,8 Ah	3165140476577	84.600,00	101.520,00
0602492439		0	x	5	<a href="http://shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm">shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm</a>	Odvrtac EXACT 212	Obrtni moment 2-12 Nm Brzina 275 min-1 Smjer rotacije: levodесno Prihvat alata: 1/4" brzoosvezna glava; bez baterije	3165140474153	73.200,00	87.840,00
0602492440		0	x	4	<a href="http://shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm">shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm</a>	Odvrtac EXACT 212	Obrtni moment 2-12 Nm Brzina 275 min-1 Smjer rotacije: levodесno Prihvat alata: 1/4" brzoosvezna glava; sa baterijom 9,6 V, 1,8 Ah	3165140474160	84.600,00	101.520,00
0602492441		x	0	2	<a href="http://shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm">shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm</a>	Odvrtac EXACT 412	Obrtni moment 2-12 Nm Brzina 400 min-1 Smjer rotacije: levodесno Prihvat alata: 1/4" brzoosvezna glava; bez baterije	3165140466974	73.200,00	87.840,00
0602492442		x	0	2	<a href="http://shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm">shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm</a>	Odvrtac EXACT 412	Obrtni moment 2-12 Nm Brzina 400 min-1 Smjer rotacije: levodесno Prihvat alata: 1/4" brzoosvezna glava; sa baterijom 9,6 V, 1,8 Ah	3165140466981	84.600,00	101.520,00
0602492443		0	x	4	<a href="http://shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm">shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm</a>	Odvrtac EXACT 908	Obrtni moment 2-8 Nm Brzina 900 min-1 Smjer rotacije: levodесno Prihvat alata: 1/4" brzoosvezna glava; bez baterije	3165140476607	73.200,00	87.840,00
0602492444		0	x	4	<a href="http://shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm">shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm</a>	Odvrtac EXACT 908	Obrtni moment 2-8 Nm Brzina 900 min-1 Smjer rotacije: levodесno Prihvat alata: 1/4" brzoosvezna glava; sa baterijom 9,6 V, 1,8 Ah	3165140476614	84.600,00	101.520,00
0602492445		0	x	4	<a href="http://shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm">shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm</a>	Odvrtac EXACT 610	Obrtni moment 2-10 Nm Brzina 600 min-1 Smjer rotacije: levodесno Prihvat alata: 1/4" brzoosvezna glava; bez baterije	3165140476584	73.200,00	87.840,00
0602492446		x	0	2	<a href="http://shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm">shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm</a>	Odvrtac EXACT 610	Obrtni moment 2-10 Nm Brzina 600 min-1 Smjer rotacije: levodесno Prihvat alata: 1/4" brzoosvezna glava; sa baterijom 9,6 V, 1,8 Ah	3165140476591	84.600,00	101.520,00

Industrijski akumulatorski odvrtaci SEC - ugaoni odvrtaci EXACT bez baterije (9,6V, 1,8Ah)								EAN kod	VP.cena (RSD)	MP.cena (RSD)
0602494402		#N/A	#N/A	#N/A	<a href="http://shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm">shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm</a>	Li-Ion EXACT ION 6-1500	Obrtni moment 1-6 Nm Brzina 750-1500 min-1 Smjer rotacije: levodесno Prihvat alata: 1/4" brzoosvezna glava	3165140474368	78.500,00	94.200,00
0602494400						Li-Ion EXACT ION 2-700	Obrtni moment 0,6-2 Nm Brzina 350-700 min-1 Bez baterije (18V/1,5Ah =2.607.336.559)	3165140735841	78.500,00	94.200,00
0602494401						Li-Ion EXACT ION 4-2000	Obrtni moment 1-4 Nm Brzina 1000-2000 min-1 Bez baterije (18V/1,5Ah =2.607.336.559)	3165140735858	78.500,00	94.200,00
0602494403						Li-Ion EXACT ION 8-1100	Obrtni moment 1,5-8 Nm Brzina 550-1100 min-1 Bez baterije (18V/1,5Ah =2.607.336.559)	3165140735865	78.500,00	94.200,00
0602494405						Li-Ion EXACT ION 12-450	Obrtni moment 1,5-12 Nm Brzina 225-450 min-1 Bez baterije (18V/1,5Ah =2.607.336.559)	3165140735872	78.500,00	94.200,00
0602494404		#N/A	#N/A	#N/A	<a href="http://shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm">shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm</a>	Li-Ion EXACT ION 12-700	Obrtni moment 1,5-12 Nm Brzina 350-700 min-1 Smjer rotacije: levodесno Prihvat alata: 1/4" brzoosvezna glava	3165140474344	78.500,00	94.200,00
0602494409						EXACT ION 12-450 WK	Obrtni moment 2 – 16 Nm Brj obrtaja u praznom hodu 160 – 320 min-1 Napoin 18 V Kapacitet 2,0 Ah Težina (sa akumulatorom) 1,5 kg	3165140777841	88.300,00	105.960,00
0602494408						EXACT ION 12-700 WK	Obrtni moment 2 – 16 Nm Brj obrtaja u praznom hodu 250 – 500 min-1 Napoin 18V Kapacitet 2,0 Ah Težina (sa akumulatorom) 1,5 kg	3165140777834	88.300,00	105.960,00
0602494407						EXACT ION 8-1100 WK	Obrtni moment 2 – 11 Nm Brj obrtaja u praznom hodu 375 – 750 min-1 Napoin 18V Kapacitet 2,0 Ah	3165140777827	88.300,00	105.960,00
0602494406						EXACT ION 6-1500 WK	Obrtni moment 2 – 8 Nm Brj obrtaja u praznom hodu 525 – 1050 min-1 Napoin 18V Kapacitet 2,0 Ah Težina (sa akumulatorom) 1,5 kg	3165140777810	88.300,00	105.960,00

Industrijski akumulatorski odvrtaci SEC - ugaoni odvrtaci EXACT								EAN kod	VP.cena (RSD)	MP.cena (RSD)
0602492611		0	x	5	<a href="http://shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm">shop.productiontools.com/fw/gptocs2-envsearch.htm?searchterm</a>	SEC-Ugaoni odvrtac EXACT 7-900	Obrtni moment 2-7 Nm Brzina 900 min-1 Smjer rotacije: levodесno Prihvat alata: 1/4" spojni kvadrat, 1/4" unutrašnji šestougao, 3/8" spojni kvadrat 1/4" brzoosvezna glava; bez baterije	3165140474368	151.100,00	181.320,00

0602492612		0	x	5	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	SEC-Ugaoni odvrtac Exact 7-900	Obrtni moment 2-7 Nm Brzina 900 min-1 Smjer rotacije: levodесno Prihvat glava: 1/4" spoljni kvadrat, 1/4" unutrašnji šestougao, 3/8" spoljni kvadrat 1/4" brzostezna glava, sa baterijom 9.6V/1.8 Ah	3165140474375	162,700.00	195,240.00
0602492609		0	x	4	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	SEC-Ugaoni odvrtac Exact 10-650	Obrtni moment 2-10 Nm Brzina 650 min-1 Smjer rotacije: levodесno Prihvat glava: 1/4" spoljni kvadrat, 1/4" unutrašnji šestougao, 3/8" spoljni kvadrat 1/4" brzostezna glava, bez baterije	3165140474344	151,100.00	181,320.00
0602492610		0	x	4	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	SEC-Ugaoni odvrtac Exact 10-650	Obrtni moment 2-10 Nm Brzina 650 min-1 Smjer rotacije: levodесno Prihvat glava: 1/4" spoljni kvadrat, 1/4" unutrašnji šestougao, 3/8" spoljni kvadrat 1/4" brzostezna glava, sa baterijom 9.6V/1.8 Ah	3165140474351	162,700.00	195,240.00
0602492607		0	0	2	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	SEC-Ugaoni odvrtac Exact 14-420	Obrtni moment 2-14 Nm Brzina 420 min-1 Smjer rotacije: levodесno Prihvat glava: 1/4" spoljni kvadrat, 1/4" unutrašnji šestougao, 3/8" spoljni kvadrat 1/4" brzostezna glava, bez baterije	3165140474320	151,100.00	181,320.00
0602492608		0	x	4	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	SEC-Ugaoni odvrtac Exact 14-420	Obrtni moment 2-14 Nm Brzina 420 min-1 Smjer rotacije: levodесno Prihvat glava: 1/4" spoljni kvadrat, 1/4" unutrašnji šestougao, 3/8" spoljni kvadrat 1/4" brzostezna glava, sa baterijom 9.6V/1.8 Ah	3165140474337	162,700.00	195,240.00
0602492605		0	x	5	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	SEC-Ugaoni odvrtac Exact 25-250	Obrtni moment 10-25 Nm Brzina 245 min-1 Smjer rotacije: levodесno Prihvat glava: 3/8" spoljni kvadrat, bez baterije	3165140473545	228,100.00	273,720.00
0602492606		0	x	4	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	SEC-Ugaoni odvrtac Exact 25-250	Obrtni moment 10-25 Nm Brzina 245 min-1 Smjer rotacije: levodесno Prihvat glava: 3/8" spoljni kvadrat, sa baterijom 9.6V / 1.8 Ah	3165140473552	239,500.00	287,400.00
0602492603		0	0	2	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	SEC-Ugaoni odvrtac Exact 30-380	Obrtni moment 10-30 Nm Brzina 380 min-1 Smjer rotacije: levodесno Prihvat glava: 3/8" spoljni kvadrat, bez baterije	3165140473521	251,100.00	301,320.00
0602492604		x	0	2	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	SEC-Ugaoni odvrtac Exact 30-380	Obrtni moment 10-30 Nm Brzina 380 min-1 Smjer rotacije: levodесno Prihvat glava: 3/8" spoljni kvadrat, sa baterijom 14.4 V / 2.4 A	3165140473538	264,400.00	317,280.00
0602492601		0	x	4	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	SEC-Ugaoni odvrtac Exact 40-280	Obrtni moment 10-40 Nm Brzina 280 min-1 Smjer rotacije: levodесno Prihvat glava: 3/8" spoljni kvadrat, bez baterije	3165140473507	251,100.00	301,320.00
0602492602		0	x	4	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	SEC-Ugaoni odvrtac Exact 40-280	Obrtni moment 10-40 Nm Brzina 280 min-1 Smjer rotacije: levodесno Prihvat glava: 3/8" spoljni kvadrat, sa baterijom 14.4 V / 2.4 Ah	3165140473514	264,400.00	317,280.00
0602492613		0	x	4	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	SEC-Ugaoni odvrtac Exact 60-210	Obrtni moment 10-30 Nm Brzina 210 min-1 Smjer rotacije: levodесno Prihvat glava: 3/8" spoljni kvadrat, bez baterije	3165140493072	251,100.00	301,320.00
0602492614		0	x	4	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	SEC-Ugaoni odvrtac Exact 60-210	Obrtni moment 10-50 Nm Brzina 210 min-1 Smjer rotacije: levodесno Prihvat glava: 3/8" spoljni kvadrat, sa baterijom 14.4V/2.4Ah	3165140482089	264,400.00	317,280.00
0602492617		0	0	2	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	SEC-Ugaoni odvrtac Exact 60-170	Obrtni moment 10-40 Nm Brzina 170 min-1 Smjer rotacije: levodесno Prihvat glava: 3/8" spoljni kvadrat, bez baterije	3165140582209	262,400.00	314,880.00
0602492615		0	0	2	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	Ugaoni odvrtac Exact 25-200	Obrtni moment 10-25 Nm Brzina 200 min-1 Smjer rotacije: levodесno Prihvat glava: 3/8" spoljni kvadrat, bez baterije	3165140573498	162,000.00	194,400.00
0602492616		0	0	2	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	Ugaoni odvrtac Exact 25-200	Obrtni moment 10-25 Nm Brzina 200 min-1 Smjer rotacije: levodесno Prihvat glava: 3/8" spoljni kvadrat, sa baterijom 9.6V/1.8Ah	3165140573504	173,600.00	208,320.00
0602492621		0	0	2	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	Ugaoni odvrtac Exact 30-300	Obrtni moment 10-30 Nm Brzina 300 min-1 Smjer rotacije: levodесno Prihvat glava: 3/8" spoljni kvadrat, bez baterije	3165140651165	173,600.00	208,320.00

**Industrijski akumulatorski odvrtaci SEC - ugaoni odvrtaci EXACT**

								EAN kod	VP.cena (RSD)	MP.cena (RSD)
0602494601		#NA	#NA	#NA	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	Li-Ion Ugaoni odvrtac Exact ION 15-500	Obrtni moment 2-15 Nm Brzina 250-500 min-1 bez baterije (18V)	3165140660457	161,200.00	193,440.00
0602494603		#NA	#NA	#NA	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	Li-Ion Ugaoni odvrtac Exact ION 30-300	Obrtni moment 10-30 Nm Brzina 150-300 min-1 bez baterije (18V)	3165140660471	184,900.00	221,880.00
0602494605		#NA	#NA	#NA	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	Li-Ion Ugaoni odvrtac Exact ION 50-200	Obrtni moment 15-50 Nm Brzina 100-200 min-1 bez baterije (18V)	3165140660495	255,600.00	308,720.00
0602494600						Li-Ion ANGLE EXACT ION 8-1100	Obrtni moment 2-8 Nm Brzina 550-1100 min-1 bez baterije (18V)	3165140660495	161,500.00	193,800.00
060249460A						Li-Ion ANGLE EXACT ION 15-500	Obrtni moment 2-15 Nm Brzina 250-500 min-1 bez baterije (18V)	3165140660464	223,400.00	268,080.00
0602494602						Li-Ion ANGLE EXACT ION 23-380	Obrtni moment 8-23 Nm Brzina 190-380 min-1 bez baterije (18V)	316514077803	193,100.00	231,720.00
0602494607						Li-Ion ANGLE EXACT ION 30-290	Obrtni moment 10-30 Nm Brzina 140-290 min-1 bez baterije (18V)	3165140781275	193,100.00	231,720.00
0602494604						Li-Ion ANGLE EXACT ION 40-220	Obrtni moment 10-40 Nm Brzina 110-220 min-1 bez baterije (18V)	316514077865	255,900.00	307,080.00
0602494606						Li-Ion ANGLE EXACT ION 60-120	Obrtni moment 20-40 Nm Brzina 60-120 min-1 bez baterije (18V)	3165140778497	255,900.00	307,080.00

**Ugaona glava (AH)**

								EAN kod	VP.cena (RSD)	MP.cena (RSD)
0607451618		x	0	2	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	Ugaona glava	3/8" osovina (Kataloški broj rezervnog dela 3.607.020.041)	316514033283	69,600.00	83,520.00
0607453617		x	0	2	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	Ugaona glava	1/4" osovina (Kataloški broj rezervnog dela 3.607.020.161)	3165140122139	54,300.00	65,160.00
0607453618		x	0	2	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	Ugaona glava	1/4" šestougaona osovina (Kataloški broj rezervnog dela 3.607.020.163)	3165140122146	54,300.00	65,160.00
0607453620		x	0	2	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	Ugaona glava	3/8" osovinom (Kataloški broj rezervnog dela 3.607.020.165)	3165140122160	54,300.00	65,160.00
0607453630		x	0	2	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	Ugaona glava	sa brzosteznom glavom 1/4"	3165140334174	54,300.00	65,160.00
0607453631		0	x	7	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	Adapter	Brzostezna glava 1/4"	3165140350396	45,400.00	54,480.00




**Pribor (baterija, punjači, štitnici)**





								EAN kod	VP.cena (RSD)	MP.cena (RSD)
0602490001		x	0	2	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	Držac	Držac za Exact odvrtace - 10 Pack	3165140327169	45,400.00	54,480.00
0602490022		x	0	2	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	Baterija	Baterija , 9.6 V, 1.8 Ah, - 10 pack 2.607.335.877	3165140327176	101,000.00	121,200.00
0602490009		x	0	2	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	Baterija	Baterija , 9.6 V, 2.4 Ah, - 10 pack 2.607.335.659	3165140334181	114,800.00	137,760.00
0602490023		x	0	2	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	Baterija	Baterija , 12 V, 1.8 Ah, - 10 pack 2.607.335.879	3165140327091	114,800.00	137,760.00
0602490004		x	0	2	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	Baterija	Baterija , 12 V, 2.4 Ah, - 10 pack 2.607.335.375	3165140327084	131,300.00	157,560.00
0602490007		x	0	2	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	Baterija	Baterija , 14.4 V, 2.4 Ah, - 10 pack 2.607.335.655	3165140332920	145,100.00	174,120.00
0602490024		x	0	2	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	Baterija	Baterija , 14.4 V, 1.8 Ah, - 10 pack 2.607.335.881	3165140333036	131,300.00	157,560.00
0602490011		x	0	2	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	Štitnik	Štitnik za sve Exact akumulatorske odvrtace (10 Pack) - beli provodni	3165140419130	41,700.00	50,040.00
0602490012		x	0	2	<a href="http://shop.productiontools.com/wb/optoc2-en/search.htm?searchterm">shop.productiontools.com/wb/optoc2-en/search.htm?searchterm</a>	Štitnik	Štitnik za sve Exact akumulatorske odvrtace (10 Pack) - crveni provodni	3165140411226	41,700.00	50,040.00





0602490013		x	0	2	<a href="http://shop.producttools.com/wboploc2-en/search.htm?searchterm">shop.producttools.com/wboploc2-en/search.htm?searchterm</a>	Štitnik	Štitnik za sve Exact akumulatorske odvrtište (10 Pack) - plavi providni	3165140411233	41,700.00	50,040.00
0602490014		x	0	2	<a href="http://shop.producttools.com/wboploc2-en/search.htm?searchterm">shop.producttools.com/wboploc2-en/search.htm?searchterm</a>	Štitnik	Štitnik za sve Exact akumulatorske odvrtište (10 Pack) - zeleni providni	3165140411240	41,700.00	50,040.00
0602490015		x	0	2	<a href="http://shop.producttools.com/wboploc2-en/search.htm?searchterm">shop.producttools.com/wboploc2-en/search.htm?searchterm</a>	Štitnik	Štitnik (10 Pack) beli providni - za sve akumulatorske ugaone Exact (2 kom, ne za Classic AE 17, 23, 30)	3165140488167	41,700.00	50,040.00
0602490016		x	0	2	<a href="http://shop.producttools.com/wboploc2-en/search.htm?searchterm">shop.producttools.com/wboploc2-en/search.htm?searchterm</a>	Štitnik	Štitnik (10 Pack) crveni providni - za sve akumulatorske ugaone Exact (2 kom, ne za Classic AE 17, 23, 30)	3165140488174	41,700.00	50,040.00
0602490017		x	0	2	<a href="http://shop.producttools.com/wboploc2-en/search.htm?searchterm">shop.producttools.com/wboploc2-en/search.htm?searchterm</a>	Štitnik	Štitnik (10 Pack) plavi providni - za sve akumulatorske ugaone Exact (2 kom, ne za Classic AE 17, 23, 30)	3165140488181	41,700.00	50,040.00
0602490018		x	0	2	<a href="http://shop.producttools.com/wboploc2-en/search.htm?searchterm">shop.producttools.com/wboploc2-en/search.htm?searchterm</a>	Štitnik	Štitnik (10 Pack) zeleni providni - za sve akumulatorske ugaone Exact (2 kom, ne za Classic AE 17, 23, 30)	3165140488198	41,700.00	50,040.00
3605500171		#NA	#NA	#NA		Zaštitna kapa	Zaštitna kapa za ugaonu glavu za 180 W serije			
3605500172		#NA	#NA	#NA		Zaštitna kapa	Zaštitna kapa za brzosteznu glavu (5-Pack)			
3605500175		#NA	#NA	#NA		Zaštitna kapa	Zaštitna kapa za 3/8" ugaonu glavu za 370 W serije			
3609202A29		#NA	#NA	#NA		Zaštitna kapa	Zaštitna kapa za SEC-Ugaonu odvrtište Exact 25-250, 30-380, 40-280 i 50-210			
0602494010		x	0	2		Zaštitna kapa	Li-ion - zaštitna kapa AnolisEXACT-ION - bela providna (10-Pack)	3165140709231	40,500.00	48,600.00
0602494011		x	0	2		Zaštitna kapa	Li-ion - zaštitna kapa AnolisEXACT-ION - obojav providna (10-Pack)	3165140709248	40,500.00	48,600.00
0602494012		x	0	2		Zaštitna kapa	Li-ion - zaštitna kapa AnolisEXACT-ION - crvena providna (10-Pack)	3165140709255	40,500.00	48,600.00
0602494013		x	0	2		Zaštitna kapa	Li-ion - zaštitna kapa AnolisEXACT-ION - zelena providna (10-Pack)	3165140709262	40,500.00	48,600.00
0602494014		x	0	2		Zaštitna kapa	Li-ion - zaštitna kapa za akumulator Li-Pack - bela providna (10-Pack)	3165140709279	40,500.00	48,600.00
0602494015		x	0	2		Zaštitna kapa	Li-ion - zaštitna kapa za akumulator XL-Pack - bela providna (10-Pack)	3165140709286	40,500.00	48,600.00
0602494016		x	0	2		Zaštitna kapa	Li-ion - zaštitna kapa EXACT-ION - bela providna (10-Pack)	3165140709293	40,500.00	48,600.00
0602494017		x	0	2		Zaštitna kapa	Li-ion - zaštitna kapa EXACT-ION - plava providna (10-Pack)	3165140709300	40,500.00	48,600.00
0602494018		x	0	2		Zaštitna kapa	Li-ion - zaštitna kapa EXACT-ION - crvena providna (10-Pack)	3165140709316	40,500.00	48,600.00
0602494019		x	0	2		Zaštitna kapa	Li-ion - zaštitna kapa EXACT-ION - zelena providna (10-Pack)	3165140709323	40,500.00	48,600.00
0602490507		x	0	2	<a href="http://shop.producttools.com/wboploc2-en/search.htm?searchterm">shop.producttools.com/wboploc2-en/search.htm?searchterm</a>	Konektor	4 Exact - Power line connection (230 V) za Bosch Exact- i ugaone Exact odvrtište	3165140372695	102,200.00	122,640.00
0602490503		x	0	2	<a href="http://shop.producttools.com/wboploc2-en/search.htm?searchterm">shop.producttools.com/wboploc2-en/search.htm?searchterm</a>	Kabl	Kabl 9.6 V za 4 Exact	3165140372701	12,000.00	14,400.00
0602490504		x	0	2	<a href="http://shop.producttools.com/wboploc2-en/search.htm?searchterm">shop.producttools.com/wboploc2-en/search.htm?searchterm</a>	Kabl	Kabl 12 V za 4 Exact	3165140372718	12,000.00	14,400.00
0602490505		x	0	2	<a href="http://shop.producttools.com/wboploc2-en/search.htm?searchterm">shop.producttools.com/wboploc2-en/search.htm?searchterm</a>	Kabl	Kabl 14.4 V za 4 Exact	3165140372725	12,000.00	14,400.00
2607335877		#NA	#NA	#NA	<a href="http://shop.producttools.com/wboploc2-en/search.htm?searchterm">shop.producttools.com/wboploc2-en/search.htm?searchterm</a>	Baterija	Baterija , 9.6 V, 1.8 Ah, (zamenja za 2.607.335.373, 1.7 Ah)			
2607335869		#NA	#NA	#NA		Baterija	Baterija , 9.6 V, 2.4 Ah,			
2607335879		#NA	#NA	#NA	<a href="http://shop.producttools.com/wboploc2-en/search.htm?searchterm">shop.producttools.com/wboploc2-en/search.htm?searchterm</a>	Baterija	Baterija , 12 V, 1.8 Ah, (zamenja za 2.607.335.657, 1.7 Ah)			
2607335375		#NA	#NA	#NA		Baterija	Baterija , 12 V, 2.4 Ah, (center-grip)			
2607335855		#NA	#NA	#NA		Baterija	Baterija , 14.4 V, 2.4 Ah,			
2607335881		#NA	#NA	#NA	<a href="http://shop.producttools.com/wboploc2-en/search.htm?searchterm">shop.producttools.com/wboploc2-en/search.htm?searchterm</a>	Baterija	Baterija , 14.4 V, 1.8 Ah, (zamenja za 2.607.335.657, 1.7 Ah)			
2607252027		#NA	#NA	#NA		Punjač	AL 2450 DV, 230V, 30-min punjač (zamenja f. 2.607.224.483; AL15FC i 2.607.224.426; AL60DV)		8,600.00	10,320.00
2607336569		#NA	#NA	#NA		Baterija	Li-Ion - Baterija - 18V(1.6Ah) (= L-Pack)		18,900.00	22,680.00
0602494002		#NA	#NA	#NA	<a href="http://www.boschproducttools.com/wboploc2-en/search">http://www.boschproducttools.com/wboploc2-en/search</a>	Baterija	Li-Ion - Baterija ; 18V(1.5Ah) (= L-Pack); (12-Pack; 2.607.336.559)	3165140695213	118,700.00	142,440.00
2607336235		#NA	#NA	#NA		Baterija	Li-Ion - Baterija - 18V(1.6 Ah) (= XL-Pack)		20,800.00	24,960.00
0602494004		0	0	0	<a href="http://www.boschproducttools.com/wboploc2-en/search">http://www.boschproducttools.com/wboploc2-en/search</a>	Baterija	Li-Ion - Baterija ; 18V(1.6Ah) (= XL-Pack); (12-Pack; 2.607.336.235)	3165140695220	187,100.00	224,520.00
2607225321		#NA	#NA	#NA		Punjač	Li-Ion - AL 1860 CV, 230V, 30-min punjač		11,300.00	13,560.00
0602494005		#NA	#NA	#NA	<a href="http://www.boschproducttools.com/wboploc2-en/search">http://www.boschproducttools.com/wboploc2-en/search</a>	Punjač	Li-Ion - AL 1860 CV, 230V, 30-min punjač ; (8-Pack);	3165140695237	84,400.00	101,280.00
3600106027					<a href="http://www.boschproducttools.com/com/en/ivocsa/markings">http://www.boschproducttools.com/com/en/ivocsa/markings</a>	Prstenovi u boji za označavanje	Crni prsten za označavanje za ugaoni odvrtište EXACT			Cena na upit!
3600106028					<a href="http://www.boschproducttools.com/com/en/ivocsa/markings">http://www.boschproducttools.com/com/en/ivocsa/markings</a>	Prstenovi u boji za označavanje	Crveni prsten za označavanje za ugaoni odvrtište EXACT			Cena na upit!
3600106029					<a href="http://www.boschproducttools.com/com/en/ivocsa/markings">http://www.boschproducttools.com/com/en/ivocsa/markings</a>	Prstenovi u boji za označavanje	Plavi prsten za označavanje za ugaoni odvrtište EXACT			Cena na upit!
3600106030					<a href="http://www.boschproducttools.com/com/en/ivocsa/markings">http://www.boschproducttools.com/com/en/ivocsa/markings</a>	Prstenovi u boji za označavanje	Zeleni prsten za označavanje za ugaoni odvrtište EXACT			Cena na upit!
3600106031					<a href="http://www.boschproducttools.com/com/en/ivocsa/markings">http://www.boschproducttools.com/com/en/ivocsa/markings</a>	Prstenovi u boji za označavanje	Narandžasti prsten za označavanje za ugaoni odvrtište EXACT			Cena na upit!
3600106032					<a href="http://www.boschproducttools.com/com/en/ivocsa/markings">http://www.boschproducttools.com/com/en/ivocsa/markings</a>	Prstenovi u boji za označavanje	Sivi prsten za označavanje za ugaoni odvrtište EXACT			Cena na upit!
3600106033					<a href="http://www.boschproducttools.com/com/en/ivocsa/markings">http://www.boschproducttools.com/com/en/ivocsa/markings</a>	Prstenovi u boji za označavanje	Beli prsten za označavanje za ugaoni odvrtište EXACT			Cena na upit!
3600106010					<a href="http://www.boschproducttools.com/com/en/ivocsa/markings">http://www.boschproducttools.com/com/en/ivocsa/markings</a>	Prstenovi u boji za označavanje	Crni prsten za označavanje za odvrtište EXACT			Cena na upit!
3600106011					<a href="http://www.boschproducttools.com/com/en/ivocsa/markings">http://www.boschproducttools.com/com/en/ivocsa/markings</a>	Prstenovi u boji za označavanje	Crveni prsten za označavanje za odvrtište EXACT			Cena na upit!
3600106012					<a href="http://www.boschproducttools.com/com/en/ivocsa/markings">http://www.boschproducttools.com/com/en/ivocsa/markings</a>	Prstenovi u boji za označavanje	Plavi prsten za označavanje za odvrtište EXACT			Cena na upit!
3600106013					<a href="http://www.boschproducttools.com/com/en/ivocsa/markings">http://www.boschproducttools.com/com/en/ivocsa/markings</a>	Prstenovi u boji za označavanje	Zeleni prsten za označavanje za odvrtište EXACT			Cena na upit!
3600106014					<a href="http://www.boschproducttools.com/com/en/ivocsa/markings">http://www.boschproducttools.com/com/en/ivocsa/markings</a>	Prstenovi u boji za označavanje	Žuti prsten za označavanje za odvrtište EXACT			Cena na upit!
3600106017					<a href="http://www.boschproducttools.com/com/en/ivocsa/markings">http://www.boschproducttools.com/com/en/ivocsa/markings</a>	Prstenovi u boji za označavanje	Sivi prsten za označavanje za odvrtište EXACT			Cena na upit!
3600106019					<a href="http://www.boschproducttools.com/com/en/ivocsa/markings">http://www.boschproducttools.com/com/en/ivocsa/markings</a>	Prstenovi u boji za označavanje	Beli prsten za označavanje za odvrtište EXACT			Cena na upit!
Nat-stanica završni odvrtište C-EXACT 4								EAN kod	VP cena (RSD)	MP cena (RSD)
0602495003		#NA	#NA	#NA	<a href="http://shop.producttools.com/wboploc2-en/search.htm?searchterm">shop.producttools.com/wboploc2-en/search.htm?searchterm</a>	PUC EXACT 3	PUC-Exact 3/ Input Voltage 100-240 V AC/ 50-60 Hz/ 400 W/ Output Voltage 36 V DC	3165140478748	77,300.00	92,760.00
Radni odvrtište C-EXACT 4 - 36 V kabl								EAN kod	VP cena (RSD)	MP cena (RSD)
0602495200		0	x	4	<a href="http://shop.producttools.com/wboploc2-en/search.htm?searchterm">shop.producttools.com/wboploc2-en/search.htm?searchterm</a>	C-Exact 4	Obrtni moment 0,5-3,5 Nm Brzina 1000 min-1 Snaga rotacije 160W Prihvataleži: 114° spoljni kvadrati	3165140411233	115,600.00	138,720.00










0602495202	0	x	5	<a href="http://shop.productiontools.com/lwb/optics2-en?search=hem">shop.productiontools.com/lwb/optics2-en?search=hem</a>	C-Exact 1	Obrtni moment 0,2-0,8 Nm Brzina 1000 min <sup>-1</sup> Smerni rotacije: levo/desno Prihvatni abis: 1/8" spojni kvadrat	3165140474283	115,600.00	138,720.00
0602495203	0	x	5	<a href="http://shop.productiontools.com/lwb/optics2-en?search=hem">shop.productiontools.com/lwb/optics2-en?search=hem</a>	C-Exact 2	Obrtni moment 0,5-2,0 Nm Brzina 500 min <sup>-1</sup> Smerni rotacije: levo/desno Prihvatni abis: 1/4" spojni kvadrat	3165140474290	115,600.00	138,720.00
0602495205	0	x	4	<a href="http://shop.productiontools.com/lwb/optics2-en?search=hem">shop.productiontools.com/lwb/optics2-en?search=hem</a>	C-Exact 4	Obrtni moment 0,5-3,5 Nm Brzina 1000 min <sup>-1</sup> Smerni rotacije: levo/desno Prihvatni abis: 1/4" spojni kvadrat. Push start	3165140457521	115,600.00	138,720.00
0602495207	0	x	5	<a href="http://shop.productiontools.com/lwb/optics2-en?search=hem">shop.productiontools.com/lwb/optics2-en?search=hem</a>	C-Exact 1	Obrtni moment 0,2-0,8 Nm Brzina 1000 min <sup>-1</sup> Smerni rotacije: levo/desno Prihvatni abis: 1/8" spojni kvadrat. Push start	3165140474306	115,600.00	138,720.00
0602495208	0	x	5	<a href="http://shop.productiontools.com/lwb/optics2-en?search=hem">shop.productiontools.com/lwb/optics2-en?search=hem</a>	C-Exact 2	Obrtni moment 0,5-2,0 Nm Brzina 500 min <sup>-1</sup> Smerni rotacije: levo/desno Prihvatni abis: 1/4" spojni kvadrat. Push start	3165140474313	115,600.00	138,720.00
3604462078	x	0	2	<a href="http://shop.productiontools.com/lwb/optics2-en?search=hem">shop.productiontools.com/lwb/optics2-en?search=hem</a>	Kabl	konektor (5 m) za C-EXACT		13,100.00	15,720.00

## SERVISNI PNEUMATSKI ALATI






Kataloški broj		Proizvod na evropskom	Proizvod po ponudbi	Isporuka u sedmicama	Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
Bušilice 120 W i 180 W					Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0607160501		x	0	2	Bušilica	Snaga: 320 W Brzina pri praznom hodu: 2800 min-1 maks.prečnik bušenja u čeliku: 6 mm Navoj burgije: 3/8" 24 UNF 2A Prikjučni navoj: 1/4" NPT Preporučeni prečnik creva: 10 mm Klasična stezna glava, R Težina: 0.8 kg	3165140111133	25,300.00	30,360.00	
0607160502		x	0	2	Bušilica	Snaga: 320 W Brzina pri praznom hodu: 2800 min-1 maks.prečnik bušenja u čeliku: 6 mm Navoj burgije: 3/8" 24 UNF 2A Priključni navoj: 1/4" NPT Preporučeni prečnik creva: 10 mm Brzostezna glava, R Težina: 0.8 kg	3165140111140	27,200.00	32,640.00	
0607160504		x	0	2	Bušilica	Snaga: 320 W Brzina pri praznom hodu: 850 min-1 maks.prečnik bušenja u čeliku: 10 mm Navoj burgije: 3/8" 24 UNF 2A Priključni navoj: 1/4" NPT Preporučeni prečnik creva: 10 mm Klasična stezna glava, R Težina: 0.9 kg	3165140111164	32,100.00	38,520.00	
0607160505		0	x	6	Bušilica	Snaga: 320 W Brzina pri praznom hodu: 850 min-1 maks.prečnik bušenja u čeliku: 10 mm Navoj burgije: 3/8" 24 UNF 2A Priključni navoj: 1/4" NPT Preporučeni prečnik creva: 10 mm Brzostezna glava, R Težina: 0.9 kg	3165140111171	36,200.00	43,440.00	
0607160509			0	x	6	Bušilica	Snaga: 320 W Brzina pri praznom hodu: 750 min-1 maks.prečnik bušenja u čeliku: 10 mm Navoj burgije: 3/8" 24 UNF 2A Priključni navoj: 1/4" NPT Preporučeni prečnik creva: 10 mm Klasična stezna glava, R/L Težina: 0.9 kg	3165140111188	35,700.00	42,840.00
0607160511			x	0	2	Bušilica	Snaga: 320 W Brzina pri praznom hodu: 2.200 min-1 maks.prečnik bušenja u čeliku: 6 mm Navoj burgije: 3/8" 24 UNF 2A Priključni navoj: 1/4" NPT Klasična stezna glava Preporučeni prečnik creva 10 mm, R/L Težina: 0.9 kg	3165140111157	27,200.00	32,640.00
0607557501			x	0	2	Hamer bušilica	Snaga: 740 W Udarna snaga: 3.900 min-1 maks.prečnik bušenja u čeliku: 13 mm maks.prečnik bušenja u betonu: 20 mm maks.prečnik bušenja u čeliku: 30 mm Priključni navoj: 1/4" G Preporučeni prečnik creva 13 mm, SDS-plus glava Težina: 3 kg	3165140111195	138,500.00	166,200.00




Brusilice					Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0607252103		x	0	2	Čeona brusilica	Snaga: 550 W Brzina pri praznom hodu: 21.000 min-1 Čaura: 6 mm Preporučeni prečnik creva: 10 mm Priključak: 1/4" Težina: 1.1 kg	3165140111225	45,300.00	54,360.00
0607260100		x	0	2	Čeona brusilica	Snaga: 290 W Brzina pri praznom hodu: 22.000 min-1 Čaura: 6 mm Preporučeni prečnik creva: 10 mm Priključak: 1/4" Težina: 0.5 kg	3165140111201	25,300.00	30,360.00
0607260101		0	x	6	Čeona brusilica	Snaga: 290 W Brzina pri praznom hodu: 22.000 min-1 Čaura: 3 i 6 mm Preporučeni prečnik creva: 10 mm Priključak: 1/4" Težina: 0.5 kg	3165140111218	25,300.00	30,360.00
0607260110		0	x	6	Set sa čeonom brusilicom	Snaga: 290 W Brzina pri praznom hodu: 22.000 min-1 Čaura: 3 i 6 mm Preporučeni prečnik creva: 10 mm Priključak: 1/4" Težina: 0.5 kg	3165140252416	28,400.00	34,080.00
0607350198		0	0	2	Excentar brusilica	Snaga: 170 W Brzina pri praznom hodu: 12.000 min-1 Dozvoljeni prečnik brusnog diska: 80 mm Preporučeni prečnik creva: 10 mm Navoj: 5/16" 24 UNF Priključak: 1/4" Težina: 0.6 kg	3165140621342	27,200.00	32,640.00




0607350199		0	0	2	Excentar brusilica	Snaga: 170 W Brzina pri praznom hodu: 12.000 min-1 Dozvoljeni prečnik brusnog diska: 150 mm Preporučeni prečnik creva: 10 mm Navoj: 5/16" 24 UNF Priključak: 1/4" Težina: 0,7 kg	3165140621359	27,200.00	32,640.00
0607350200		#N/A	#N/A	#N/A	Excentar brusilica	Snaga: 170 W Brzina pri praznom hodu: 12.000 min-1 Dozvoljeni prečnik brusnog diska: 150 mm Preporučeni prečnik creva: 10 mm Navoj: 5/16" 24 UNF Priključak: 1/4"; čičak podloška sa 15 rupa Težina: 0,7 kg	3165140621359	27,200.00	32,640.00
0607352113		0	x	6	Ugaona brusilica	Snaga: 550 W Brzina pri praznom hodu: 12.000 min-1 Dozvoljeni prečnik brusnog diska: 125 mm Preporučeni prečnik creva: 10 mm Vreteno: M14; Deadman prekidač Težina: 1,4 kg	3165140111256	46,600.00	55,920.00
0607352114		0	x	6	Ugaona brusilica	Snaga: 550 W Brzina pri praznom hodu: 7.000 min-1 Dozvoljeni prečnik brusnog diska: 125 mm Preporučeni prečnik creva: 10 mm Vreteno: M14; Deadman prekidač Težina: 1,4 kg	3165140111270	38,100.00	45,720.00

Odvijači S-Line		Naziv				Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0607450593		x	0	2	Udarni odvrtac	Max.moment: 1.300 Nm Brzina pri praznom hodu: 3.100 min-1 Priključak: G 1/2" Preporučeni prečnik creva: 13 mm; R/L smer ; za stezanje vijaka do M 33 Težina: 9,6 kg	3165140111362	160,300.00	192,360.00
0607450622		x	0	2	Udarni odvrtac	Max.moment: 900 Nm Brzina pri praznom hodu: 4.500 min-1 Priključak: 3/8" ; prihvat alata: 3/4" spoljni kvadrat Preporučeni prečnik creva: 12 mm; R/L smer; za stezanje vijaka do M 27 Težina: 5,6 kg	3165140346160	56,700.00	68,040.00
0607450626		x	0	2	Udarni odvrtac	Max.moment: 120 Nm Brzina pri praznom hodu: 10.000 min-1 Priključak: 1/4" ; prihvat alata: 3/8" spoljni kvadrat Preporučeni prečnik creva: 10 mm; R/L smer; za stezanje vijaka do M 14 Težina: 1,5 kg	3165140448680	14,400.00	17,280.00
0607450627		x	0	2	Udarni odvrtac	Max.moment: 120 Nm Brzina pri praznom hodu: 10.000 min-1 Priključak: 1/4" ; prihvat alata: 1/2" spoljni kvadrat Preporučeni prečnik creva: 10 mm; R/L smer; za stezanje vijaka do M 14 Težina: 1,5 kg	3165140448697	16,300.00	19,560.00
0607450628		x	0	2	Udarni odvrtac	Max.moment: 310 Nm Brzina pri praznom hodu: 7.000 min-1 Priključak: 1/4" ; prihvat alata: 1/2" spoljni kvadrat Preporučeni prečnik creva: 10 mm; R/L smer; za stezanje vijaka do M 18 Težina: 2,3 kg	3165140448703	17,500.00	21,000.00
0607450629		x	0	2	Udarni odvrtac - set	Max.moment: 310 Nm Brzina pri praznom hodu: 7.000 min-1 Priključak: 1/4" ; prihvat alata: 1/2" spoljni kvadrat Preporučeni prečnik creva: 10 mm; R/L smer Odvrtac 0607450628 , sa nasadnim kovanim ključevima SW 14, 17, 19, 21, 22 i proizvodnjom Težina: 2,3 kg	3165140453028	21,200.00	25,440.00
0607450794		x	0	2	Pneumatska račna	Max.moment: 60 Nm Brzina pri praznom hodu: 160 min-1 Priključak: 1/4" ; prihvat alata: 3/8" spoljni kvadrat Preporučeni prečnik creva: 10 mm; R/L smer; za stezanje vijaka do M 10 Težina: 1,3 kg	3165140364614	24,800.00	29,760.00
0607450795		x	0	2	Pneumatska račna	Max.moment: 60 Nm Brzina pri praznom hodu: 160 min-1 Priključak: 1/4" ; prihvat alata: 1/2" spoljni kvadrat Preporučeni prečnik creva: 10 mm; R/L smer; za stezanje vijaka do M 10 Težina: 1,3 kg	3165140364621	24,800.00	29,760.00
0607460001		0	x	6	Lock-over odvrtac	Snaga: 380 W Brzina pri praznom hodu: 900 min-1 Stezni moment: 1,5 – 10 Nm Priključak: 1/4" ; prihvat alata: 1/4" Preporučeni prečnik creva: 10 mm; R/L smer; za stezanje vijaka do M6 Težina: 1,0 kg	3165140111324	68,800.00	82,560.00
0607460400		0	x	6	Odvrtac sa kontrolom dubine	Snaga: 320 W Brzina pri praznom hodu: 750 min-1 Stezni moment: 1,5 – 8 Nm Priključak: 1/4" ; prihvat alata: 1/4" Preporučeni prečnik creva: 10 mm; R/L smer; za stezanje vijaka do 6,3 mm Težina: 0,8 kg	3165140111300	44,200.00	53,040.00
0607460401		x	0	2	Lock-over odvrtac	Snaga: 320 W Brzina pri praznom hodu: 750 min-1 Stezni moment: 1,5 – 10 Nm Priključak: 1/4" ; prihvat alata: 1/4" Preporučeni prečnik creva: 10 mm; R/L smer; za stezanje vijaka do M6 Težina: 1,0 kg	3165140111317	48,300.00	57,960.00

Udarni odvijači P-Line		Naziv				Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
------------------------	--	-------	--	--	--	---------------	---------	---------------	---------------


0607450614		x	0	2	Udarni odvrtać	Brzina pri praznom hodu: 10.000 min-1 Max. stezni moment: 150 Nm Priključak: 1/4" ; prihvatale: 3/8" Preporučeni prečnik creva: 10 mm; R/L smer; za stezanje vijaka do M14 Težina: 1,3 kg	3165140346108	33.800,00	40.560,00
0607450615		x	0	2	Udarni odvrtać	Brzina pri praznom hodu: 7.000 min-1 Max. stezni moment: 350 Nm Priključak: 1/4" ; prihvatale: 1/2" Preporučeni prečnik creva: 10 mm; R/L smer; za stezanje vijaka do M18 Težina: 2,4 kg	3165140346115	45.400,00	54.480,00
0607450618		x	0	2	Udarni odvrtać sa produženim vretenom	Brzina pri praznom hodu: 7.000 min-1 Max. stezni moment: 300 Nm Priključak: 1/4" ; prihvatale: 1/2" Preporučeni prečnik creva: 10 mm; R/L smer; za stezanje vijaka do M18 Težina: 2,6 kg	3165140346139	53.100,00	63.720,00
0607450616		x	0	2	Udarni odvrtać	Brzina pri praznom hodu: 4.500 min-1 Max. stezni moment: 900 Nm Priključak: 3/8" ; prihvatale: 3/4" Preporučeni prečnik creva: 13 mm; R/L smer; za stezanje vijaka do M27 Težina: 4,1 kg	3165140346122	74.400,00	89.280,00
0607450619		x	0	2	Udarni odvrtać sa produženim vretenom	Brzina pri praznom hodu: 4.500 min-1 Max. stezni moment: 850 Nm Priključak: 3/8" ; prihvatale: 3/4" Preporučeni prečnik creva: 13 mm; R/L smer; za stezanje vijaka do M27 Težina: 5,9 kg	3165140346146	82.200,00	98.640,00

Ubodne testere, grickalice za lim i makaze					Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0607561116		x	0	2	Ubodna testera Deadman prekidač	Snaga: 400 W Max. dubina sečenja u aluminijumu i neobojenim metalima: 15 mm Max. dubina sečenja u mekanom čeliku: 10 mm Max. dubina sečenja u plastici: 30 mm Max. dubina sečenja u drvetu: 85 mm Priključak: 1/4" Težina: 1,9 kg	3165140111423	55.500,00	66.600,00
0607561118		x	0	2	Ubodna testera Lever prekidač	Snaga: 400 W Max. dubina sečenja u aluminijumu i neobojenim metalima: 15 mm Max. dubina sečenja u mekanom čeliku: 10 mm Max. dubina sečenja u plastici: 30 mm Max. dubina sečenja u drvetu: 85 mm Priključak: 1/4" Težina: 1,9 kg	3165140111430	55.500,00	66.600,00
0607595100		x	0	2	Testera za penaste materijale	Snaga: 120 W Dubina sečenja penastog materijala: 300 mm Priključak 1/4" Težina: 1,2 kg	3165140111515	111.900,00	134.280,00

Obijači					Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0607560500		x	0	2	Udarni sekač	Energija udarca: 2 J ; 3600 min-1 Prijhvatale KW10 i kružni Ø 10,2mm Priključak 1/4" Težina: 1 kg	3165140111386	16.300,00	19.560,00
0607560501		x	0	2	Udarni sekač - set, kofer, set dleta	Energija udarca: 2 J ; 3600 min-1 Prijhvatale KW10 i kružni Ø 10,2mm Priključak 1/4" Težina: 1 kg	3165140111379	21.200,00	25.440,00
0607560502		x	0	2	Igličasti obijač	Energija udarca: 0,0014 KJ ; 3600 min-1 Prijhvatale KW10 i kružni Ø 10,2mm Priključak 1/4" Težina: 2 kg	3165140111393	28.400,00	34.080,00



## PNEUMATSKI ALATI ZA INDUSTRIJU




Kataloški broj	Proizvod na evropskom lig Proizvod po porudžbini Ispravka u sedmicama	Direktan link do proizvoda	Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
<b>Bušilice 120 W / 180 W</b>							
0607154101		<a href="http://www.boschproductiontools.com/wbqbtoc2_en?search.htm?searchterm=0.607.154.101">http://www.boschproductiontools.com/wbqbtoc2_en?search.htm?searchterm=0.607.154.101</a>	Bušilica 120 W	Snaga: 120 W Broj obrtaja pri praznom hodu: 3200 min-1 Max. prečnik bušenja u čeliku 4 mm	3165140120890	88,300.00	105,960.00
0607153520		<a href="http://www.boschproductiontools.com/wbqbtoc2_en?search.htm?searchterm=0.607.153.520">http://www.boschproductiontools.com/wbqbtoc2_en?search.htm?searchterm=0.607.153.520</a>	Bušilica 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 3700 min-1 Max. prečnik bušenja u čeliku 4 mm Klasična stezna glava	3165140120876	69,300.00	83,160.00
0607153523		<a href="http://www.boschproductiontools.com/wbqbtoc2_en?search.htm?searchterm=0.607.153.523">http://www.boschproductiontools.com/wbqbtoc2_en?search.htm?searchterm=0.607.153.523</a>	Bušilica 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 3700 min-1 Max. prečnik bušenja u čeliku 4 mm Brzostezna glava	3165140147354	72,800.00	87,360.00


Bušilice 400 W	Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0607161100	Bušilica 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 2560 min-1 Max. prečnik bušenja u čeliku 8 mm	3165140120999	80,900.00	97,080.00
0607161101	Bušilica 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 1200 min-1 Max. prečnik bušenja u čeliku 10 mm	3165140121002	80,900.00	97,080.00
0607161102	Bušilica 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 2560 min-1 Brzostezna glava 3/8"	3165140121019	84,100.00	100,920.00
0607161103	Bušilica 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 1200 min-1 Brzostezna glava 3/8"	3165140121026	84,100.00	100,920.00
0607161500	Bušilica 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 2560 min-1 Max. prečnik bušenja u čeliku 8 mm	3165140121064	84,100.00	100,920.00
0607161501	Bušilica 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 1200 min-1 Max. prečnik bušenja u čeliku 10 mm	3165140121071	84,100.00	100,920.00
0607161502	Bušilica 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 800 min-1 Max. prečnik bušenja u čeliku 13 mm	3165140121088	84,100.00	100,920.00
0607161503	Bušilica 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 640 min-1 Max. prečnik bušenja u čeliku 13 mm	3165140121095	84,100.00	100,920.00
0607161504	Bušilica 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 2560 min-1 Max. prečnik bušenja u čeliku 8 mm	3165140121101	84,100.00	100,920.00
0607161505	Bušilica 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 1200 min-1 Max. prečnik bušenja u čeliku 10 mm	3165140121118	84,100.00	100,920.00
0607161506	Bušilica 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 800 min-1 Max. prečnik bušenja u čeliku 13 mm	3165140121125	84,100.00	100,920.00
0607161507	Bušilica 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 640 min-1 Max. prečnik bušenja u čeliku 13 mm	3165140121132	84,100.00	100,920.00




Ravne brusilice	Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0607250201	Ravna brusilica	Snaga: 50 W Broj obrtaja pri praznom hodu: 55.000 min-1 Max. prečnik bušenja u čeliku 10 mm	3165140121170	70,800.00	84,960.00
0607250202	Ravna brusilica	Snaga: 50 W Broj obrtaja pri praznom hodu: 85.000 min-1 Max. prečnik bušenja u čeliku 6 mm	3165140121187	70,800.00	84,960.00
0607250203	Ravna brusilica	Snaga: 50 W Broj obrtaja pri praznom hodu: 85.000 min-1 Max. prečnik bušenja u čeliku 6 mm	3165140121194	70,800.00	84,960.00
0607251102	Ravna brusilica	Snaga: 450 W Broj obrtaja pri praznom hodu: 21.000 min-1 Dozvoljeni prečnik brusnog alata 40 mm	3165140121200	92,600.00	111,120.00
0607253100	Ravna brusilica	Snaga: 240 W Broj obrtaja pri praznom hodu: 21.000 min-1 Dozvoljeni prečnik brusnog alata 40 mm	3165140121231	92,600.00	111,120.00
0607253101	Ravna brusilica	Snaga: 220 W Broj obrtaja pri praznom hodu: 33.000 min-1 Dozvoljeni prečnik brusnog alata 20 mm	3165140121248	86,500.00	103,800.00
0607254100	Ravna brusilica	Snaga: 100 W Broj obrtaja pri praznom hodu: 50.000 min-1 Dozvoljeni prečnik brusnog alata 13 mm	3165140121262	82,900.00	99,480.00
0607261101	Ravna brusilica	Snaga: 400 W Broj obrtaja pri praznom hodu: 26.000 min-1 Dozvoljeni prečnik brusnog alata 30 mm	3165140121316	56,700.00	68,040.00
0607261102	Ravna brusilica	Snaga: 400 W Broj obrtaja pri praznom hodu: 15.000 min-1 Dozvoljeni prečnik brusnog alata 50 mm	3165140121323	65,200.00	78,240.00

Ravni odvrtać 180 W	Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0607453009	Ravni odvrtać 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 950 min-1 Stežni moment 1,2 – 5,5 Nm Navoi M 5	3165140169028	110,700.00	132,840.00
0607453010	Ravni odvrtać 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 600 min-1 Stežni moment 1,2 – 7 Nm Navoi M 6	3165140169035	110,700.00	132,840.00
0607453233	Ravni odvrtać 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 2200 min-1 Stežni moment: 1,2 – 3 Nm Navoi M 4	3165140169097	110,700.00	132,840.00
0607453234	Ravni odvrtać 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 1500 min-1 Stežni moment: 1,2 – 4,5 Nm Navoi M 5	3165140169103	110,700.00	132,840.00
0607453229	Ravni odvrtać 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 1500 min-1 Stežni moment: 1,2 – 4,5 Nm Navoi M 5	3165140169141	134,900.00	161,880.00


0607453230		0	x	7	<a href="http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.230">http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.230</a>	Ravni odvrtac 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 950 min-1 Stezni moment: 1,2 – 5,5 Nm Navoji M 6	3165140169158	134,900.00	161,880.00
0607453231		0	x	7	<a href="http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.231">http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.231</a>	Ravni odvrtac 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 600 min-1 Stezni moment: 1,2 – 7 Nm Navoji M 6	3165140169165	134,900.00	161,880.00
0607453232		x	0	2	<a href="http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.232">http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.232</a>	Ravni odvrtac 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 380 min-1 Stezni moment: 1,2 – 10 Nm Navoji M 6	3165140169172	134,900.00	161,880.00
0607453235		0	x	7	<a href="http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.235">http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.235</a>	Ravni odvrtac 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 2200 min-1 Stezni moment: 1,2 – 3 Nm Navoji M 4	3165140169042	134,900.00	161,880.00
0607453236		0	x	7	<a href="http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.236">http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.236</a>	Ravni odvrtac 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 1500 min-1 Stezni moment: 1,2 – 4,5 Nm Navoji M 5	3165140169059	134,900.00	161,880.00
0607453237		x	0	2	<a href="http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.237">http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.237</a>	Ravni odvrtac 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 950 min-1 Stezni moment: 1,2 – 5,5 Nm Navoji M 6	3165140169066	134,900.00	161,880.00
0607453238		x	0	2	<a href="http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.238">http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.238</a>	Ravni odvrtac 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 600 min-1 Stezni moment: 1,2 – 7 Nm Navoji M 6	3165140169073	134,900.00	161,880.00
0607453239		x	0	2	<a href="http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.239">http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.239</a>	Ravni odvrtac 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 380 min-1 Stezni moment: 1,2 – 10 Nm Navoji M 4	3165140169080	134,900.00	161,880.00
0607453240		0	x	7	<a href="http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.240">http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.240</a>	Ravni odvrtac 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 950 min-1 Stezni moment: 1,2 – 5,5 Nm Navoji M 5	3165140169127	144,600.00	173,520.00
0607453241		0	x	7	<a href="http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.241">http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.241</a>	Ravni odvrtac 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 600 min-1 Stezni moment: 1,2 – 7 Nm Navoji M 6	3165140169134	144,600.00	173,520.00
0607453242		0	x	7	<a href="http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.242">http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.242</a>	Ravni odvrtac 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 380 min-1 Stezni moment: 1,2 – 10 Nm Navoji M 6	3165140169110	144,600.00	173,520.00


Odvrtac 180 W				Naziv		Tehnički opis		EAN kod		VP cena (RSD)		MP cena (RSD)	
0607453429		0	x	7	<a href="http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.429">http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.429</a>	Ravni odvrtac 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 380 min-1 Stezni moment: 1,2 – 10 Nm Navoji M6	3165140121989	132,500.00	159,000.00			
0607453430		0	x	7	<a href="http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.430">http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.430</a>	Ravni odvrtac 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 950 min-1 Stezni moment: 1,2 – 5,5 Nm Navoji M5	3165140121996	132,500.00	159,000.00			
0607453431		0	x	7	<a href="http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.431">http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.431</a>	Ravni odvrtac 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 1500 min-1 Stezni moment: 1,2 – 4,5 Nm Navoji M5	3165140122009	132,500.00	159,000.00			
0607453432		0	x	7	<a href="http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.432">http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.432</a>	Ravni odvrtac 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 2200 min-1 Stezni moment: 1,2 – 3 Nm Navoji M4	3165140122016	132,500.00	159,000.00			
0607453433		0	x	7	<a href="http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.433">http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.433</a>	Ravni odvrtac 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 600 min-1 Stezni moment: 1,2 – 7 Nm Navoji M6	3165140188487	132,500.00	159,000.00			
0607453434		0	x	7	<a href="http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.434">http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.434</a>	Ravni odvrtac 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 380 min-1 Stezni moment: 1,2 – 10 Nm Navoji M6	3165140122023	98,600.00	118,320.00			
0607453435		0	x	7	<a href="http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.435">http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.435</a>	Ravni odvrtac 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 950 min-1 Stezni moment: 1,2 – 5,5 Nm Navoji M5	3165140122030	98,600.00	118,320.00			
0607453436		0	x	7	<a href="http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.436">http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.436</a>	Ravni odvrtac 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 1500 min-1 Stezni moment: 1,2 – 4,5 Nm Navoji M5	3165140122047	98,600.00	118,320.00			
0607453437		0	x	7	<a href="http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.437">http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.437</a>	Ravni odvrtac 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 2200 min-1 Stezni moment: 1,2 – 3 Nm Navoji M4	3165140122054	98,600.00	118,320.00			
0607453438		0	x	7	<a href="http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.438">http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.438</a>	Ravni odvrtac 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 600 min-1 Stezni moment: 1,2 – 7 Nm Navoji M6	3165140195690	98,600.00	118,320.00			
0607453439		x	0	2	<a href="http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.439">http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.439</a>	Ravni odvrtac 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 380 min-1 Stezni moment: 1,2 – 10 Nm Navoji M6	3165140303651	131,800.00	158,160.00			
0607453440		0	x	7	<a href="http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.440">http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.440</a>	Ravni odvrtac 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 950 min-1 Stezni moment: 1,2 – 5,5 Nm Navoji M5	3165140303668	131,800.00	158,160.00			
0607453441		0	x	7	<a href="http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.441">http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.441</a>	Ravni odvrtac 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 600 min-1 Stezni moment: 1,2 – 7 Nm Navoji M6	3165140303675	131,800.00	158,160.00			
0607453442		0	x	7	<a href="http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.442">http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.442</a>	Ravni odvrtac 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 600 min-1 Stezni moment: 0,5 – 2 Nm Navoji M4	3165140303682	131,800.00	158,160.00			
0607453443		0	x	7	<a href="http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.443">http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.453.443</a>	Ravni odvrtac 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 1500 min-1 Stezni moment: 1,2 – 4,5 Nm Navoji M5	3165140303699	131,800.00	158,160.00			



Ravni odvrtaci 120 W				Naziv		Tehnički opis		EAN kod		VP cena (RSD)		MP cena (RSD)	
0607454006		0	x	7	<a href="http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.454.006">http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.454.006</a>	Ravni odvrtac 120 W	Snaga: 120 W Broj obrtaja pri praznom hodu: 1700 min-1 Stezni moment: 0,8 – 2 Nm Navoji M4	3165140216333	102,700.00	123,240.00			
0607454007		0	x	7	<a href="http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.454.007">http://www.boschproductiontools.com/ivbopctcs2-en?search.html?searchterm=0.607.454.007</a>	Ravni odvrtac 120 W	Snaga: 120 W Broj obrtaja pri praznom hodu: 1050 min-1 Stezni moment: 0,8 – 3,4 Nm Navoji M4	3165140216340	102,700.00	123,240.00			

0607454228		0	x	7	<a href="http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.454.228">http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.454.228</a>	Ravni odvrtac 120 W	Snaga: 120 W Broj obrtaja pri praznom hodu: 2300 min-1 Stežni moment: 0,8 – 2,5 Nm Navoji M4	3165140220200	125,700.00	150,840.00
0607454229		0	x	7	<a href="http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.454.229">http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.454.229</a>	Ravni odvrtac 120 W	Snaga: 120 W Broj obrtaja pri praznom hodu: 1700 min-1 Stežni moment: 0,8 – 3 Nm Navoji M4	3165140196376	125,700.00	150,840.00
0607454230		x	0	2	<a href="http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.454.230">http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.454.230</a>	Ravni odvrtac 120 W	Snaga: 120 W Broj obrtaja pri praznom hodu: 1050 min-1 Stežni moment: 0,8 – 3,4 Nm Navoji M4	3165140196369	125,700.00	150,840.00
0607454231		x	0	2	<a href="http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.454.231">http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.454.231</a>	Ravni odvrtac 120 W	Snaga: 120 W Broj obrtaja pri praznom hodu: 640 min-1 Stežni moment: 0,8 – 5 Nm Navoji M5	3165140196390	125,700.00	150,840.00
0607454232		0	x	7	<a href="http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.454.232">http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.454.232</a>	Ravni odvrtac 120 W	Snaga: 120 W Broj obrtaja pri praznom hodu: 400 min-1 Stežni moment: 0,8 – 7 Nm Navoji M4	3165140196406	125,700.00	150,840.00
0607454234		0	x	7	<a href="http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.454.234">http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.454.234</a>	Ravni odvrtac 120 W	Snaga: 120 W Broj obrtaja pri praznom hodu: 1700 min-1 Stežni moment: 0,8 – 3 Nm Navoji M4	3165140196413	136,100.00	163,320.00
0607454235		0	x	7	<a href="http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.454.235">http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.454.235</a>	Ravni odvrtac 120 W	Snaga: 120 W Broj obrtaja pri praznom hodu: 1050 min-1 Stežni moment: 0,8 – 3,4 Nm Navoji M4	3165140196420	136,100.00	163,320.00
0607454236		0	x	7	<a href="http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.454.236">http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.454.236</a>	Ravni odvrtac 120 W	Snaga: 120 W Broj obrtaja pri praznom hodu: 640 min-1 Stežni moment: 0,8 – 5 Nm Navoji M5	3165140196437	136,100.00	163,320.00
0607454237		0	x	7	<a href="http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.454.237">http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.454.237</a>	Ravni odvrtac 120 W	Snaga: 120 W Broj obrtaja pri praznom hodu: 400 min-1 Stežni moment: 0,8 – 7 Nm Navoji M5	3165140196444	136,100.00	163,320.00
0607454238		0	x	7	<a href="http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.454.238">http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.454.238</a>	Ravni odvrtac 120 W	Snaga: 120 W Broj obrtaja pri praznom hodu: 1700 min-1 Stežni moment: 0,8 – 3 Nm Navoji M4	3165140216357	102,700.00	123,240.00
0607454239		0	x	7	<a href="http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.454.239">http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.454.239</a>	Ravni odvrtac 120 W	Snaga: 120 W Broj obrtaja pri praznom hodu: 1050 min-1 Stežni moment: 0,8 – 3,4 Nm Navoji M5	3165140216364	102,700.00	123,240.00




Ravni odvrtaci 20 W		Naziv		Tehnički opis		EAN kod		VP cena (RSD)		MP cena (RSD)	
0607459203		x	0	2	<a href="http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.459.203">http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.459.203</a>	Ravni odvrtac 20 W	Snaga: 20 W Broj obrtaja pri praznom hodu: 800 min-1 Stežni moment: 0,06 – 1 Nm Navoji M3	3165140122368	130,100.00	156,120.00	
0607459205		0	x	7	<a href="http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.459.205">http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.459.205</a>	Ravni odvrtac 20 W	Snaga: 20 W Broj obrtaja pri praznom hodu: 1200 min-1 Stežni moment: 0,06 – 0,8 Nm Navoji M3	3165140122382	140,200.00	168,240.00	
0607459204		0	x	7	<a href="http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.459.204">http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.459.204</a>	Ravni odvrtac 20 W	Snaga: 20 W Broj obrtaja pri praznom hodu: 800 min-1 Stežni moment: 0,06 – 1 Nm Navoji M3	3165140122375	140,200.00	168,240.00	




Ravni odvrtaci 400 W		Naziv		Tehnički opis		EAN kod		VP cena (RSD)		MP cena (RSD)	
0607461205		0	x	7	<a href="http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.461.205">http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.461.205</a>	Ravni odvrtac 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 1050 min-1 Stežni moment: 5,5 – 10 Nm Navoji M6	3165140122443	130,100.00	156,120.00	
0607461206		x	0	2	<a href="http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.461.206">http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.461.206</a>	Ravni odvrtac 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 700 min-1 Stežni moment: 5,5 – 15 Nm Navoji M8	3165140122450	130,100.00	156,120.00	



Odvrtaci 400 W		Naziv		Tehnički opis		EAN kod		VP cena (RSD)		MP cena (RSD)	
0607461407		0	x	7	<a href="http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.461.407">http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.461.407</a>	Odvrtac 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 400 min-1 Stežni moment: 8,5 – 26 Nm Navoji M10	3165140122559	122,800.00	147,360.00	
0607461405		0	x	7	<a href="http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.461.405">http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.461.405</a>	Odvrtac 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 700 min-1 Stežni moment: 8,5 – 15 Nm Navoji M8	3165140122535	131,300.00	157,560.00	
0607461406		0	x	7	<a href="http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.461.406">http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.461.406</a>	Odvrtac 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 400 min-1 Stežni moment: 8,5 – 26 Nm Navoji M10	3165140122542	131,300.00	157,560.00	
0607461409		0	x	7	<a href="http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.461.409">http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.461.409</a>	Odvrtac 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 450 min-1 Stežni moment: 8,5 – 26 Nm Navoji M10	3165140122573	132,800.00	159,360.00	


Odvijač		Naziv		Tehnički opis		EAN kod		VP cena (RSD)		MP cena (RSD)	
0607453421		0	x	7	<a href="http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.453.421">http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.453.421</a>	Odvijač	Snaga: 180 W Broj obrtaja pri praznom hodu: 950 min-1 Stežni moment: 1,2 - 5,5 Nm Navoji do 5 mm	3165140121866	104,700.00	125,640.00	
0607453422		0	x	7	<a href="http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.453.422">http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.453.422</a>	Odvijač	Snaga: 180 W Broj obrtaja pri praznom hodu: 1500 min-1 Stežni moment: 1,2 - 4,5 Nm Navoji do 5 mm	3165140121873	104,700.00	125,640.00	
0607461413		0	x	7	<a href="http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.461.413">http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.461.413</a>	Odvijač	Snaga: 400 W Broj obrtaja pri praznom hodu: 400 min-1 Stežni moment: do 26 Nm Navoji do 10 mm	3165140122610	137,300.00	164,760.00	


Ugaoni odvijači 370 W		Naziv		Tehnički opis		EAN kod		VP cena (RSD)		MP cena (RSD)	
0607451600		0	x	7	<a href="http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.451.600">http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.451.600</a>	Ugaoni odvijač 370 W	Snaga: 370 W Broj obrtaja pri praznom hodu: 360 min-1 Stežni moment: 7 – 27 Nm Navoji M10	3165140121576	257,100.00	308,520.00	
0607451601		0	x	7	<a href="http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.451.601">http://www.boschproductiontools.com/wbqptcs2-en?search=0.607.451.601</a>	Ugaoni odvijač 370 W	Snaga: 370 W Broj obrtaja pri praznom hodu: 360 min-1 Stežni moment: 7 – 27 Nm Navoji M10	3165140121583	257,100.00	308,520.00	

0607451602		0	x	7	<a href="http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.451.602">http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.451.602</a>	Ugaoni odvijač 370 W	Snaga: 370 W Broj obrtaja pri praznom hodu: 360 min-1 Stezni moment: 7 – 28 Nm Navoi M10	3165140121590	257,100.00	308,520.00
0607451603		0	x	7	<a href="http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.451.603">http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.451.603</a>	Ugaoni odvijač 370 W	Snaga: 370 W Broj obrtaja pri praznom hodu: 360 min-1 Stezni moment: 7 – 28 Nm Navoi M10	3165140121606	260,500.00	312,600.00
0607451604		0	x	7	<a href="http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.451.604">http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.451.604</a>	Ugaoni odvijač 370 W	Snaga: 370 W Broj obrtaja pri praznom hodu: 280 min-1 Stezni moment: 7 – 30 Nm Navoi M10	3165140121613	257,100.00	308,520.00
0607451605		0	x	7	<a href="http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.451.605">http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.451.605</a>	Ugaoni odvijač 370 W	Snaga: 370 W Broj obrtaja pri praznom hodu: 280 min-1 Stezni moment: 7 – 30 Nm Navoi M10	3165140121620	257,100.00	308,520.00
0607451606		0	x	7	<a href="http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.451.606">http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.451.606</a>	Ugaoni odvijač 370 W	Snaga: 370 W Broj obrtaja pri praznom hodu: 360 min-1 Stezni moment: 7 – 27 Nm Navoi M10	3165140121637	257,100.00	308,520.00
0607451607		0	x	7	<a href="http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.451.607">http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.451.607</a>	Ugaoni odvijač 370 W	Snaga: 370 W Broj obrtaja pri praznom hodu: 360 min-1 Stezni moment: 7 – 27 Nm Navoi M10	3165140121644	257,100.00	308,520.00





Ugaoni odvrtčač 550 W						Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0607452603		0	x	7	<a href="http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.452.603">http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.452.603</a>	Ugaoni odvijač 550 W	Snaga: 550 W Broj obrtaja pri praznom hodu: 570 min-1 Stezni moment: 10 – 38 Nm Navoi M10	3165140424967	298,300.00	357,960.00
0607452604		0	x	7	<a href="http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.452.604">http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.452.604</a>	Ugaoni odvijač 550 W	Snaga: 550 W Broj obrtaja pri praznom hodu: 400 min-1 Stezni moment: 16 – 56 Nm Navoi M10	3165140424950	298,300.00	357,960.00
0607452605		0	x	7	<a href="http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.452.605">http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.452.605</a>	Ugaoni odvijač 550 W	Snaga: 550 W Broj obrtaja pri praznom hodu: 320 min-1 Stezni moment: 20 – 68 Nm Navoi M12	3165140424974	298,300.00	357,960.00
0607452606		0	x	7	<a href="http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.452.606">http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.452.606</a>	Ugaoni odvijač 550 W	Snaga: 550 W Broj obrtaja pri praznom hodu: 320 min-1 Stezni moment: 20 – 68 Nm Navoi M12	3165140463027	250,300.00	300,360.00
0607452607		0	x	7	<a href="http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.452.607">http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.452.607</a>	Ugaoni odvijač 550 W	Snaga: 550 W Broj obrtaja pri praznom hodu: 320 min-1 Stezni moment: 20 – 68 Nm Navoi M12	3165140476973	331,400.00	397,680.00
0607452608		0	x	7	<a href="http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.452.608">http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.452.608</a>	Produžetak DWAS 68	Težina: 0,2 kg	3165140476980	34,500.00	41,400.00
0607452609		0	x	7	<a href="http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.452.609">http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.452.609</a>	Produžetak DWAS 56	Težina: 0,2 kg	3165140476997	34,500.00	41,400.00



Ugaoni odvijači 180 W						Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0607453621		0	x	7	<a href="http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.453.621">http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.453.621</a>	Ugaoni odvijač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 670 min-1 Stezni moment: 1,5 – 8 Nm Navoi M5	3165140190893	234,100.00	280,920.00
0607453622		0	x	7	<a href="http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.453.622">http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.453.622</a>	Ugaoni odvijač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 670 min-1 Stezni moment: 1,5 – 8 Nm Navoi M5	3165140190909	234,100.00	280,920.00
0607453623		0	x	7	<a href="http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.453.623">http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.453.623</a>	Ugaoni odvijač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 420 min-1 Stezni moment: 2 – 10 Nm Navoi M6	3165140190916	234,100.00	280,920.00
0607453624		0	x	7	<a href="http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.453.624">http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.453.624</a>	Ugaoni odvijač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 420 min-1 Stezni moment: 2 – 10 Nm Navoi M6	3165140190923	234,100.00	280,920.00
0607453625		0	x	7	<a href="http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.453.625">http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.453.625</a>	Ugaoni odvijač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 260 min-1 Stezni moment: 2 – 15 Nm Navoi M8	3165140190930	234,100.00	280,920.00
0607453626		x	0	2	<a href="http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.453.626">http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.453.626</a>	Ugaoni odvijač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 260 min-1 Stezni moment: 2 – 15 Nm Navoi M8	3165140190947	234,100.00	280,920.00




Ugaoni odvijači 740 W						Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0607457600		0	x	7	<a href="http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.457.600">http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.457.600</a>	Ugaoni odvijač 740 W	Snaga: 740 W Broj obrtaja pri praznom hodu: 200 min-1 Stezni moment: 39 – 100 Nm Navoi M14	3165140122344	363,600.00	436,320.00
0607457601		0	x	7	<a href="http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.457.601">http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.457.601</a>	Ugaoni odvijač 740 W	Snaga: 740 W Broj obrtaja pri praznom hodu: 270 min-1 Stezni moment: 31 – 80 Nm Navoi M14	3165140122351	363,600.00	436,320.00
0607457602		0	x	7	<a href="http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.457.602">http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.457.602</a>	Ugaoni odvijač 740 W	Snaga: 740 W Broj obrtaja pri praznom hodu: 100 min-1 Stezni moment: 50 – 120 Nm Navoi M16	3165140190541	383,000.00	459,600.00


Impulsni odvijači 300 W						Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0607661505		x	0	2	<a href="http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.661.505">http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.661.505</a>	Ugaoni odvijač 300 W	Snaga: 300 W Broj obrtaja pri praznom hodu: 4500 min-1 Stezni moment: 16 – 35 Nm Navoi M8	3165140122818	195,900.00	235,080.00
0607661506		0	x	7	<a href="http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.661.506">http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.661.506</a>	Ugaoni odvijač 300 W	Snaga: 300 W Broj obrtaja pri praznom hodu: 4500 min-1 Stezni moment: 16 – 35 Nm Navoi M8	3165140122825	195,900.00	235,080.00
0607661507		x	0	2	<a href="http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.661.507">http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.661.507</a>	Ugaoni odvijač 300 W	Snaga: 300 W Broj obrtaja pri praznom hodu: 4700 min-1 Stezni moment: 28 – 60 Nm Navoi M10	3165140122832	215,300.00	258,360.00
0607661509		x	0	2	<a href="http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.661.509">http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.661.509</a>	Ugaoni odvijač 300 W	Snaga: 300 W Broj obrtaja pri praznom hodu: 4000 min-1 Stezni moment: 8 – 18 Nm Navoi M6	3165140122856	179,000.00	214,800.00
0607661510		0	x	7	<a href="http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.661.510">http://www.boschproductiontools.com/wbtpoc2-en/search.htm?searchterm=0.607.661.510</a>	Ugaoni odvijač 300 W	Snaga: 300 W Broj obrtaja pri praznom hodu: 4000 min-1 Stezni moment: 8 – 18 Nm Navoi M6	3165140122863	179,000.00	214,800.00


Balanseri						Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
-----------	--	--	--	--	--	-------	---------------	---------	---------------	---------------


0607950938		x	0	2	<a href="http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.950.938">http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.950.938</a>	Balanser	Min. opterećenje: 0,4 kg Maks. opterećenje: 1,2 kg Maks. hod: 800 mm Težina: 1,3 kg	3165140123051	24,100.00	28,920.00
0607950939		x	0	2	<a href="http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.950.938">http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.950.938</a>	Balanser	Min. opterećenje: 1,2 kg Maks. opterećenje: 2,2 kg Maks. hod: 800 mm Težina: 1,4 kg	3165140123068	24,100.00	28,920.00
0607950950		x	0	2	<a href="http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.950.950">http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.950.950</a>	Balanser	Min. opterećenje: 0,5 kg Maks. opterećenje: 1,2 kg Maks. hod: 2000 mm Težina: 0,6 kg	3165140624305	7,900.00	9,480.00
0607950951		x	0	2	<a href="http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.950.951">http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.950.951</a>	Balanser	Min. opterećenje: 1 kg Maks. opterećenje: 2 kg Maks. hod: 2000 mm Težina: 0,6 kg	3165140624725	7,900.00	9,480.00
0607950952		x	0	2	<a href="http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.950.952">http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.950.952</a>	Balanser	Min. opterećenje: 0,3 kg Maks. opterećenje: 1 kg Maks. hod: 1600 mm Težina: 0,5 kg	3165140624732	9,100.00	10,920.00
0607950953		x	0	2	<a href="http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.950.953">http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.950.953</a>	Balanser	Min. opterećenje: 1,2 kg Maks. opterećenje: 2,5 kg Maks. hod: 1600 mm Težina: 0,6 kg	3165140624749	9,100.00	10,920.00
0607950954		x	0	2	<a href="http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.950.954">http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.950.954</a>	Balanser	Min. opterećenje: 2,5 kg Maks. opterećenje: 5 kg Maks. hod: 3000 mm Težina: 3,3 kg	3165140629546	24,800.00	29,760.00
0607950955		x	0	2	<a href="http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.950.955">http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.950.955</a>	Balanser	Min. opterećenje: 4 kg Maks. opterećenje: 8 kg Maks. hod: 3000 mm Težina: 3,7 kg	3165140629553	27,200.00	32,640.00
0607950956		x	0	2	<a href="http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.950.956">http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.950.956</a>	Balanser	Min. opterećenje: 7 kg Maks. opterećenje: 10 kg Maks. hod: 3000 mm Težina: 3,7 kg	3165140629560	27,700.00	33,240.00
0607950957		x	0	2	<a href="http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.950.957">http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.950.957</a>	Balanser	Min. opterećenje: 0,4 kg Maks. opterećenje: 1,2 kg Maks. hod: 1600 mm	3165140629577	16,200.00	19,440.00
0607950958		x	0	2	<a href="http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.950.958">http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.950.958</a>	Balanser	Min. opterećenje: 1,2 kg Maks. opterećenje: 2,8 kg Maks. hod: 1600 mm Težina: 1,4 kg	3165140629584	16,800.00	20,160.00


Asortiman motora 300 / 340 (R/L) / 370 W					Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0607951300		0	x	6	<a href="http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.951.300">http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.951.300</a>	Motor 370 W	Snaga: 370 W Obrtni momenat: 25 Nm Broj obrtaja pri praznom hodu: 600 min-1 Težina: 0,9 kg Priključak: G 1/8"	3165140123082	91,400.00	109,680.00
0607951301		0	x	6	<a href="http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.951.301">http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.951.301</a>	Motor 370 W	Snaga: 370 W Obrtni momenat: 15 Nm Broj obrtaja pri praznom hodu: 930 min-1 Težina: 0,9 kg Priključak: G 1/8"	3165140123099	91,400.00	109,680.00
0607951302		0	x	7	<a href="http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.951.302">http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.951.302</a>	Motor 370 W	Snaga: 370 W Obrtni momenat: 15 Nm Broj obrtaja pri praznom hodu: 930 min-1 Težina: 0,9 kg Priključak: G 1/8"	3165140123105	91,400.00	109,680.00
0607951303		0	x	6	<a href="http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.951.303">http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.951.303</a>	Motor 370 W	Snaga: 370 W Obrtni momenat: 4,5 Nm Broj obrtaja pri praznom hodu: 3300 min-1 Težina: 0,7 kg Priključak: G 1/8"	3165140123112	91,400.00	109,680.00
0607951304		0	x	7	<a href="http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.951.304">http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.951.304</a>	Motor 370 W	Snaga: 370 W Obrtni momenat: 25 Nm Broj obrtaja pri praznom hodu: 490 min-1 Težina: 0,9 kg Priključak: G 1/8"	3165140123129	100,300.00	120,360.00
0607951305		0	x	6	<a href="http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.951.305">http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.951.305</a>	Motor 340 W	Snaga: 340 W Obrtni momenat: 15 Nm Broj obrtaja pri praznom hodu: 780 min-1 Težina: 0,9 kg Priključak: G 1/8"	3165140123136	100,300.00	120,360.00
0607951306		0	x	6	<a href="http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.951.306">http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.951.306</a>	Motor 340 W	Snaga: 340 W Obrtni momenat: 9 Nm Broj obrtaja pri praznom hodu: 1400 min-1 Težina: 0,9 kg Priključak: G 1/8"	3165140123143	100,300.00	120,360.00
0607951307		0	x	6	<a href="http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.951.307">http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.951.307</a>	Motor 340 W	Snaga: 340 W Obrtni momenat: 4,5 Nm Broj obrtaja pri praznom hodu: 2700 min-1 Težina: 0,8 kg Priključak: G 1/8"	3165140123150	100,300.00	120,360.00
0607951311		0	x	6	<a href="http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.951.311">http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.951.311</a>	Motor 370 W	Snaga: 370 W Obrtni momenat: 25 Nm Broj obrtaja pri praznom hodu: 600 min-1 Težina: 0,9 kg Priključak: G 1/8"	3165140123167	106,300.00	127,560.00
0607951312		0	x	6	<a href="http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.951.312">http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.951.312</a>	Motor 370 W	Snaga: 370 W Obrtni momenat: 15 Nm Broj obrtaja pri praznom hodu: 930 min-1 Težina: 0,9 kg Priključak: G 1/8"	3165140123174	106,300.00	127,560.00
0607951313		0	x	7	<a href="http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.951.313">http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.951.313</a>	Motor 370 W	Snaga: 370 W Obrtni momenat: 9 Nm Broj obrtaja pri praznom hodu: 1620 min-1 Težina: 0,9 kg Priključak: G 1/8"	3165140123181	106,300.00	127,560.00
0607951314		x	0	2	<a href="http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.951.314">http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.951.314</a>	Motor 340 W	Snaga: 340 W Obrtni momenat: 25 Nm Broj obrtaja pri praznom hodu: 490 min-1 Težina: 0,9 kg Priključak: G 1/8"	3165140123198	105,100.00	126,120.00
0607951315		0	x	7	<a href="http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.951.315">http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.951.315</a>	Motor 340 W	Snaga: 340 W Obrtni momenat: 15 Nm Broj obrtaja pri praznom hodu: 780 min-1 Težina: 0,87 kg Priključak: G 1/8"	3165140123204	105,100.00	126,120.00
0607951316		0	x	7	<a href="http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.951.316">http://www.boschproductiontools.com/wbqbtcs2-en/search.htm?searchterm=0.607.951.316</a>	Motor 340 W	Snaga: 340 W Obrtni momenat: 9 Nm Broj obrtaja pri praznom hodu: 1400 min-1 Težina: 0,87 kg Priključak: G 1/8"	3165140123211	105,100.00	126,120.00




0607951318		0	x	6	<a href="http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.951.318">http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.951.318</a>	Motor 340 W	Snaga: 340 W Obrotni momenat: 25 Nm Broj obrtaja pri praznom hodu: 490 min-1 Težina: 0,9 kg Priključak: G 1/8"	3165140123235	105,100,00	126,120,00
0607951322		0	x	6	<a href="http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.951.322">http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.951.322</a>	Motor 300 W	Snaga: 300 W Obrotni momenat: 22 Nm Broj obrtaja pri praznom hodu: 540 min-1 Težina: 0,9 kg Priključak: G 1/8"	3165140123259	105,100,00	126,120,00
0607951323		0	x	6	<a href="http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.951.323">http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.951.323</a>	Motor 340 W	Snaga: 340 W Obrotni momenat: 25 Nm Broj obrtaja pri praznom hodu: 490 min-1 Težina: 0,98 kg Priključak: G 1/8"	3165140123266	105,100,00	126,120,00
0607951325		0	x	6	<a href="http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.951.325">http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.951.325</a>	Motor 340 W	Snaga: 340 W Obrotni momenat: 25 Nm Broj obrtaja pri praznom hodu: 490 min-1 Težina: 0,9 kg Priključak: G 1/8"	3165140123273	105,100,00	126,120,00
0607951326		0	x	6	<a href="http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.951.326">http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.951.326</a>	Motor 340 W	Snaga: 340 W Obrotni momenat: 9 Nm Broj obrtaja pri praznom hodu: 1400 min-1 Težina: 0,9 kg Priključak: G 1/8"	3165140123280	105,100,00	126,120,00

Asortiman motora 500 (R/L) / 550 W					Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0607952300		0	x	7	<a href="http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.952.300">http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.952.300</a>	Motor 550 W	Snaga: 550 W Obrotni momenat: 28 Nm Broj obrtaja pri praznom hodu: 760 min-1 Težina: 1,4 kg Priključak: G 1/4"	3165140123334	128,900,00	154,680,00
0607952301		0	x	6	<a href="http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.952.301">http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.952.301</a>	Motor 550 W	Snaga: 550 W Obrotni momenat: 15,5 Nm Broj obrtaja pri praznom hodu: 1350 min-1 Težina: 1,4 kg Priključak: G 1/4"	3165140123341	128,900,00	154,680,00
0607952302		0	x	6	<a href="http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.952.302">http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.952.302</a>	Motor 550 W	Snaga: 550 W Obrotni momenat: 6,5 Nm Broj obrtaja pri praznom hodu: 3000 min-1 Težina: 1,2 kg Priključak: G 1/4"	3165140123358	128,900,00	154,680,00
0607952303		0	x	6	<a href="http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.952.303">http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.952.303</a>	Motor 500 W	Snaga: 500 W Obrotni momenat: 28 Nm Broj obrtaja pri praznom hodu: 650 min-1 Težina: 1,4 kg Priključak: G 1/4"	3165140123365	144,600,00	173,520,00
0607952304		0	x	6	<a href="http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.952.304">http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.952.304</a>	Motor 500 W	Snaga: 500 W Obrotni momenat: 15,5 Nm Broj obrtaja pri praznom hodu: 1150 min-1 Težina: 1,4 kg Priključak: G 1/4"	3165140123372	144,600,00	173,520,00
0607952305		0	x	6	<a href="http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.952.305">http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.952.305</a>	Motor 500 W	Snaga: 500 W Obrotni momenat: 6,5 Nm Broj obrtaja pri praznom hodu: 2700 min-1 Težina: 1,2 kg Priključak: G 1/4"	3165140123389	144,600,00	173,520,00

Asortiman motora 160 (R/L) / 180 W					Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0607953331		0	x	7	<a href="http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.953.331">http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.953.331</a>	Motor 180 W	Snaga: 180 W Obrotni momenat: 7,7 Nm Broj obrtaja pri praznom hodu: 740 min-1 Dimenzije vretena: 3/8"-24 UNF-2A Priključak: G 1/8" Težina: 0,68 kg	3165140216401	102,200,00	122,640,00
0607953332		0	x	6	<a href="http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.953.332">http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.953.332</a>	Motor 180 W	Snaga: 180 W Obrotni momenat: 4,7 Nm Broj obrtaja pri praznom hodu: 1190 min-1 Dimenzije vretena: 3/8"-24 UNF-2A Priključak: G 1/8" Težina: 0,6 kg	3165140216418	102,200,00	122,640,00
0607953333		0	x	6	<a href="http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.953.333">http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.953.333</a>	Motor 180 W	Snaga: 180 W Obrotni momenat: 3,2 Nm Broj obrtaja pri praznom hodu: 1875 min-1 Dimenzije vretena: 3/8"-24 UNF-2A Priključak: G 1/8" Težina: 0,6 kg	3165140216425	102,200,00	122,640,00
0607953334		0	x	6	<a href="http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.953.334">http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.953.334</a>	Motor 180 W	Snaga: 180 W Obrotni momenat: 1,6 Nm Broj obrtaja pri praznom hodu: 3300 min-1 Dimenzije vretena: 3/8"-24 UNF-2A Priključak: G 1/8" Težina: 0,6 kg	3165140216432	103,300,00	123,960,00
0607953335		0	x	6	<a href="http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.953.335">http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.953.335</a>	Motor 180 W	Snaga: 180 W Obrotni momenat: 6,5 Nm Broj obrtaja pri praznom hodu: 620 min-1 Dimenzije vretena: 3/8"-24 UNF-2A Priključak: G 1/8" Težina: 0,6 kg	3165140216449	102,200,00	122,640,00
0607953336		0	x	6	<a href="http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.953.336">http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.953.336</a>	Motor 180 W	Snaga: 180 W Obrotni momenat: 4,5 Nm Broj obrtaja pri praznom hodu: 1000 min-1 Dimenzije vretena: 3/8"-24 UNF-2A Priključak: G 1/8" Težina: 0,6 kg	3165140216456	102,200,00	122,640,00
0607953337		0	x	7	<a href="http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.953.337">http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.953.337</a>	Motor 180 W	Snaga: 180 W Obrotni momenat: 3 Nm Broj obrtaja pri praznom hodu: 1600 min-1 Dimenzije vretena: 3/8"-24 UNF-2A Priključak: G 1/8" Težina: 0,6 kg	3165140216463	91,400,00	109,680,00
0607953338		0	x	6	<a href="http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.953.338">http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.953.338</a>	Motor 180 W	Snaga: 180 W Obrotni momenat: 1,5 Nm Broj obrtaja pri praznom hodu: 2800 min-1 Dimenzije vretena: 3/8"-24 UNF-2A Priključak: G 1/8" Težina: 0,6 kg	3165140216470	91,400,00	109,680,00
0607953339		0	x	6	<a href="http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.953.339">http://www.boschproductiontools.com/ivbqbtoc2_en?search.htm?searchterm=0.607.953.339</a>	Motor 180 W	Snaga: 180 W Obrotni momenat: 1,1 Nm Broj obrtaja pri praznom hodu: 4500 min-1 Dimenzije vretena: 3/8"-24 UNF-2A Priključak: G 1/8" Težina: 0,6 kg	3165140216487	91,400,00	109,680,00

0607953340		0	x	7	<a href="http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.953.340">http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.953.340</a>	Motor 180 W	Snaga: 180 W Obrtni momenat: 1 Nm Broj obrtaja pri praznom hodu: 3800 min-1 Dimenzije vretena: 3/8"-24 UNF-2A Priključak: G 1/8" Težina: 0,6 kg	3165140216494	91,400.00	109,680.00
0607953346		0	x	6	<a href="http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.953.346">http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.953.346</a>	Motor 180 W	Snaga: 180 W Obrtni momenat: 4,5 Nm Broj obrtaja pri praznom hodu: 1000 min-1 Dimenzije vretena: prečnik osovine 10 h 6 Priključak: G 1/8" Težina: 0,7 kg	3165140216500	103,300.00	123,960.00
0607953348		0	x	6	<a href="http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.953.348">http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.953.348</a>	Motor 180 W	Snaga: 180 W Obrtni momenat: 1,5 Nm Broj obrtaja pri praznom hodu: 2800 min-1 Dimenzije vretena: prečnik osovine 10 h 6 Priključak: G 1/8" Težina: 0,6 kg	3165140216517	102,200.00	122,640.00


Asortiman motora 100 (R/L) / 120 W					Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0607954304		0	x	6	<a href="http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.954.304">http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.954.304</a>	Motor 120 W	Snaga: 120 W Obrtni momenat: 2,1 Nm Broj obrtaja pri praznom hodu: 2200 min-1 Dimenzije vretena: 3/8"-24 UNF-2A Priključak: G 1/8" Težina: 0,4 kg	3165140123549	110,000.00	132,000.00
0607954305		0	x	7	<a href="http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.954.305">http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.954.305</a>	Motor 120 W	Snaga: 120 W Obrtni momenat: 1 Nm Broj obrtaja pri praznom hodu: 4900 min-1 Dimenzije vretena: 3/8"-24 UNF-2A Priključak: G 1/8" Težina: 0,3 kg	3165140123556	110,000.00	132,000.00
0607954306		0	x	6	<a href="http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.954.306">http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.954.306</a>	Motor 100 W	Snaga: 100 W Obrtni momenat: 2 Nm Broj obrtaja pri praznom hodu: 1850 min-1 Dimenzije vretena: 3/8"-24 UNF-2A Priključak: G 1/8" Težina: 0,4 kg	3165140123563	131,300.00	157,560.00
0607954307		0	x	6	<a href="http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.954.307">http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.954.307</a>	Motor 100 W	Snaga: 100 W Obrtni momenat: 0,9 Nm Broj obrtaja pri praznom hodu: 4100 min-1 Dimenzije vretena: 3/8"-24 UNF-2A Priključak: G 1/8" Težina: 0,3 kg	3165140123570	132,400.00	158,880.00


Asortiman motora 620 (R/L) / 740 W					Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0607957300		0	x	6	<a href="http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.957.300">http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.957.300</a>	Motor 740 W	Snaga: 740 W Obrtni momenat: 36 Nm Broj obrtaja pri praznom hodu: 720 min-1 Dimenzije vretena: 1/2"-20 UNF-2A Priključak: G 1/4" Težina: 1,3 kg	3165140123587	134,200.00	161,040.00
0607957301		0	x	6	<a href="http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.957.301">http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.957.301</a>	Motor 620 W	Snaga: 620 W Obrtni momenat: 36 Nm Broj obrtaja pri praznom hodu: 610 min-1 Dimenzije vretena: 1/2"-20 UNF-2A Priključak: G 1/4" Težina: 1,3 kg	3165140123594	137,300.00	164,760.00
0607957305		0	x	6	<a href="http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.957.305">http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.957.305</a>	Motor 740 W	Snaga: 740 W Obrtni momenat: 90 Nm Broj obrtaja pri praznom hodu: 290 min-1 Dimenzije vretena: 1/2" Priključak: G 1/4" Težina: 2,1 kg	3165140123600	166,400.00	199,680.00
0607957306		0	x	6	<a href="http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.957.306">http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.957.306</a>	Motor 740 W	Snaga: 740 W Obrtni momenat: 65 Nm Broj obrtaja pri praznom hodu: 400 min-1 Dimenzije vretena: 1/2" Priključak: G 1/4" Težina: 2,1 kg	3165140123617	168,000.00	201,600.00
0607957307		0	x	7	<a href="http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.957.307">http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.957.307</a>	Motor 740 W	Snaga: 740 W Obrtni momenat: 36 Nm Broj obrtaja pri praznom hodu: 720 min-1 Dimenzije vretena: 1/2" Priključak: G 1/4" Težina: 1,7 kg	3165140123624	166,400.00	199,680.00
0607957314		0	x	7	<a href="http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.957.314">http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.957.314</a>	Motor 740 W	Snaga: 740 W Obrtni momenat: 170 Nm Broj obrtaja pri praznom hodu: 140 min-1 Dimenzije vretena: 1/2" Priključak: G 1/4" Težina: 2 kg	3165140123662	166,400.00	199,680.00
0607957315		0	x	6	<a href="http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.957.315">http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.957.315</a>	Motor 620 W	Snaga: 620 W Obrtni momenat: 36 Nm Broj obrtaja pri praznom hodu: 610 min-1 Dimenzije vretena: prečnik osovine 12 j 6 Priključak: G 1/4" Težina: 1,7 kg	3165140123679	176,500.00	211,800.00
0607957317		0	x	6	<a href="http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.957.317">http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.957.317</a>	Motor 620 W	Snaga: 620 W Obrtni momenat: 160 Nm Broj obrtaja pri praznom hodu: 120 min-1 Dimenzije vretena: 1/2" Priključak: G 1/4" Težina: 2,1 kg	3165140344517	176,500.00	211,800.00
0607957308		0	x	6	<a href="http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.957.308">http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.957.308</a>	Motor 620 W	Snaga: 620 W Obrtni momenat: 90 Nm Broj obrtaja pri praznom hodu: 250 min-1 Dimenzije vretena: 1/2" Priključak: G 1/4" Težina: 2,1 kg	3165140123631	176,500.00	211,800.00
0607957309		0	x	6	<a href="http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.957.309">http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.957.309</a>	Motor 620 W	Snaga: 620 W Obrtni momenat: 65 Nm Broj obrtaja pri praznom hodu: 340 min-1 Dimenzije vretena: 1/2" Priključak: G 1/4" Težina: 2,1 kg	3165140123648	176,500.00	211,800.00
0607957310		0	x	6	<a href="http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.957.310">http://www.boschproductiontools.com/wbqbtoc2-en/search.htm?searchterm=0.607.957.310</a>	Motor 620 W	Snaga: 620 W Obrtni momenat: 36 Nm Broj obrtaja pri praznom hodu: 610 min-1 Dimenzije vretena: 1/2" Priključak: G 1/4" Težina: 1,7 kg	3165140123655	176,500.00	211,800.00

## VISOKOFREKVENTNI ALATI


Kataloški broj		Proizvod na evropskom	Proizvod po ponudbi	Ispetka u sedmicama	Direktan link do proizvoda	Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
HF - ravna brusilica HGS 55/8					Direktan link do proizvoda	Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0602233201		0	x	7	<a href="http://www.boschprodactiontools.com/hubotools-epssearch.htm?searchterm=0.602.233.201">http://www.boschprodactiontools.com/hubotools-epssearch.htm?searchterm=0.602.233.201</a>	Ravna brusilica HGS 55/8	Frekvencija: 200 Hz Napon: 265 V Snaga: 260 W Dozvoljeni prečnik brusnog kamena: 8 mm Brzina pri praznom hodu: 50.000 min-1 Stežna čaura: 3 mm Težina: 1,7 kg	3615140280907	143.400,00	172.080,00
0602233204		0	x	7	<a href="http://www.boschprodactiontools.com/hubotools-epssearch.htm?searchterm=0.602.233.204">http://www.boschprodactiontools.com/hubotools-epssearch.htm?searchterm=0.602.233.204</a>	Ravna brusilica HGS 55/8	Frekvencija: 200 Hz Napon: 135 V Snaga: 260 W Dozvoljeni prečnik brusnog kamena: 8 mm Brzina pri praznom hodu: 50.000 min-1 Stežna čaura: 3 mm Težina: 1,7 kg	3165140280914	143.400,00	172.080,00
0602233207		0	x	7	<a href="http://www.boschprodactiontools.com/hubotools-epssearch.htm?searchterm=0.602.233.207">http://www.boschprodactiontools.com/hubotools-epssearch.htm?searchterm=0.602.233.207</a>	Ravna brusilica HGS 55/8	Frekvencija: 200 Hz Napon: 72 V Snaga: 260 W Dozvoljeni prečnik brusnog kamena: 8 mm Brzina pri praznom hodu: 50.000 min-1 Stežna čaura: 8 mm Težina: 1,6 kg	3165140280921	143.400,00	172.080,00
0602233304		0	x	7	<a href="http://www.boschprodactiontools.com/hubotools-epssearch.htm?searchterm=0.602.233.304">http://www.boschprodactiontools.com/hubotools-epssearch.htm?searchterm=0.602.233.304</a>	Ravna brusilica HGS 55/8	Frekvencija: 200 Hz Napon: 200 V Snaga: 400 W Dozvoljeni prečnik brusnog kamena: 8 mm Brzina pri praznom hodu: 50.000 min-1 Stežna čaura: 8 mm Težina: 1,6 kg	3165140280938	143.400,00	172.080,00


na brusilica HGS 55/25						Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0602226201		0	x	7	<a href="http://www.boschprodactiontools.com/hubotools-epssearch.htm?searchterm=0.602.226.201">http://www.boschprodactiontools.com/hubotools-epssearch.htm?searchterm=0.602.226.201</a>	Ravna brusilica HGS 55/25	Frekvencija: 200 Hz Napon: 265 V Snaga: 260 W Dozvoljeni prečnik brusnog kamena: 25 mm Brzina pri praznom hodu: 30.500 min-1 Stežna čaura: 6 mm Težina: 2,0 kg	3165140280747	113.600,00	136.320,00
0602226204		0	x	7	<a href="http://www.boschprodactiontools.com/hubotools-epssearch.htm?searchterm=0.602.226.204">http://www.boschprodactiontools.com/hubotools-epssearch.htm?searchterm=0.602.226.204</a>	Ravna brusilica HGS 55/25	Frekvencija: 200 Hz Napon: 135 V Snaga: 260 W Dozvoljeni prečnik brusnog kamena: 25 mm Brzina pri praznom hodu: 30.500 min-1 Stežna čaura: 6 mm Težina: 2,0 kg	3165140280754	113.600,00	136.320,00
0602226207		0	x	7	<a href="http://www.boschprodactiontools.com/hubotools-epssearch.htm?searchterm=0.602.226.207">http://www.boschprodactiontools.com/hubotools-epssearch.htm?searchterm=0.602.226.207</a>	Ravna brusilica HGS 55/25	Frekvencija: 200 Hz Napon: 72 V Snaga: 260 W Dozvoljeni prečnik brusnog kamena: 25 mm Brzina pri praznom hodu: 30.500 min-1 Stežna čaura: 6 mm Težina: 2,0 kg	3165140280761	115.300,00	138.360,00
0602227204		0	x	7	<a href="http://www.boschprodactiontools.com/hubotools-epssearch.htm?searchterm=0.602.227.204">http://www.boschprodactiontools.com/hubotools-epssearch.htm?searchterm=0.602.227.204</a>	Ravna brusilica HGS 55/25	Frekvencija: 300 Hz Napon: 200 V Snaga: 400 W Dozvoljeni prečnik brusnog kamena: 25 mm Brzina pri praznom hodu: 29.000 min-1 Stežna čaura: 6 mm Težina: 2,0 kg	3165140280778	113.600,00	136.320,00


HF - ravna brusilica HGS 55/50						Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0602228201		0	x	7	<a href="http://www.boschprodactiontools.com/hubotools-epssearch.htm?searchterm=0.602.228.201">http://www.boschprodactiontools.com/hubotools-epssearch.htm?searchterm=0.602.228.201</a>	Ravna brusilica HGS 55/50	Frekvencija: 200 Hz Napon: 265 V Snaga: 260 W Dozvoljeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 12.000 min-1 Stežna čaura: 6 mm Težina: 2,1 kg	3165140280792	105.100,00	126.120,00
0602228204		0	x	7	<a href="http://www.boschprodactiontools.com/hubotools-epssearch.htm?searchterm=0.602.228.204">http://www.boschprodactiontools.com/hubotools-epssearch.htm?searchterm=0.602.228.204</a>	Ravna brusilica HGS 55/50	Frekvencija: 200 Hz Napon: 135 V Snaga: 260 W Dozvoljeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 12.000 min-1 Stežna čaura: 6 mm Težina: 2,1 kg	3165140280808	105.100,00	126.120,00
0602228207		0	x	7	<a href="http://www.boschprodactiontools.com/hubotools-epssearch.htm?searchterm=0.602.228.207">http://www.boschprodactiontools.com/hubotools-epssearch.htm?searchterm=0.602.228.207</a>	Ravna brusilica HGS 55/50	Frekvencija: 200 Hz Napon: 72 V Snaga: 260 W Dozvoljeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 12.000 min-1 Stežna čaura: 6 mm Težina: 1,6 kg	3165140280815	105.100,00	126.120,00
0602228234		0	0	2	<a href="http://www.boschprodactiontools.com/hubotools-epssearch.htm?searchterm=0.602.228.234">http://www.boschprodactiontools.com/hubotools-epssearch.htm?searchterm=0.602.228.234</a>	Ravna brusilica HGS 55/50	Frekvencija: 300 Hz Napon: 200 V Snaga: 260 W Dozvoljeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 18.000 min-1 Stežna čaura: 6 mm Težina: 2,0 kg	3165140618359	105.100,00	126.120,00


HF - ravna brusilica HGS 55/50						Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0602228361		0	x	7	<a href="http://www.boschprodactiontools.com/hubotools-epssearch.htm?searchterm=0.602.228.361">http://www.boschprodactiontools.com/hubotools-epssearch.htm?searchterm=0.602.228.361</a>	Ravna brusilica HGS 55/50	Frekvencija: 200 Hz Napon: 265 V Snaga: 260 W Dozvoljeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 12.000 min-1 Stežna čaura: 6 mm Težina: 2,1 kg	3165140280839	105.100,00	126.120,00
0602228364		0	x	7	<a href="http://www.boschprodactiontools.com/hubotools-epssearch.htm?searchterm=0.602.228.364">http://www.boschprodactiontools.com/hubotools-epssearch.htm?searchterm=0.602.228.364</a>	Ravna brusilica HGS 55/50	Frekvencija: 200 Hz Napon: 135 V Snaga: 260 W Dozvoljeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 12.000 min-1 Stežna čaura: 6 mm Težina: 2,1 kg	3165140280846	105.100,00	126.120,00
0602228384		0	0	2	<a href="http://www.boschprodactiontools.com/hubotools-epssearch.htm?searchterm=0.602.228.384">http://www.boschprodactiontools.com/hubotools-epssearch.htm?searchterm=0.602.228.384</a>	Ravna brusilica HGS 55/50	Frekvencija: 300 Hz Napon: 200 V Snaga: 400 W Dozvoljeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 12.000 min-1 Stežna čaura: 6 mm Težina: 2,0 kg	3165140618366	105.100,00	126.120,00




HF - ravna brusilica HGS 55/50					Tehnički opis		EAN kod	VP cena (RSD)	MP cena (RSD)
0602229101		0	x	7	<a href="http://www.boschproducttools.com/hubs/psc2-en/search.htm?searchterm=602.229.101">http://www.boschproducttools.com/hubs/psc2-en/search.htm?searchterm=602.229.101</a>	Ravna brusilica HGS 55/50	3165140280884	102,500.00	123,000.00
0602229104		0	x	7	<a href="http://www.boschproducttools.com/hubs/psc2-en/search.htm?searchterm=602.229.104">http://www.boschproducttools.com/hubs/psc2-en/search.htm?searchterm=602.229.104</a>	Ravna brusilica HGS 55/50	3165140280891	101,500.00	121,800.00
0602229134		0	0	2	<a href="http://www.boschproducttools.com/hubs/psc2-en/search.htm?searchterm=602.229.134">http://www.boschproducttools.com/hubs/psc2-en/search.htm?searchterm=602.229.134</a>	Ravna brusilica HGS 55/50	3165140618342	101,500.00	121,800.00


HF - ravna brusilica HGS 57/50 Ls					Naziv		Tehnički opis		EAN kod	VP cena (RSD)	MP cena (RSD)
0602238101		0	x	7	<a href="http://www.boschproducttools.com/hubs/psc2-en/search.htm?searchterm=602.238.101">http://www.boschproducttools.com/hubs/psc2-en/search.htm?searchterm=602.238.101</a>	Ravna brusilica HGS 57/50 Ls	3165140280983	180,100.00	216,120.00		
0602238104		0	x	7	<a href="http://www.boschproducttools.com/hubs/psc2-en/search.htm?searchterm=602.238.104">http://www.boschproducttools.com/hubs/psc2-en/search.htm?searchterm=602.238.104</a>	Ravna brusilica HGS 57/50 Ls	3165140280990	177,700.00	213,240.00		
0602238107		0	x	7	<a href="http://www.boschproducttools.com/hubs/psc2-en/search.htm?searchterm=602.238.107">http://www.boschproducttools.com/hubs/psc2-en/search.htm?searchterm=602.238.107</a>	Ravna brusilica HGS 57/50 Ls	3165140281003	177,700.00	213,240.00		
0602238134		0	x	7	<a href="http://www.boschproducttools.com/hubs/psc2-en/search.htm?searchterm=602.238.134">http://www.boschproducttools.com/hubs/psc2-en/search.htm?searchterm=602.238.134</a>	Ravna brusilica HGS 57/50 Ls	3165140281027	177,700.00	213,240.00		


HF - ravna brusilica HGS 65/32					Naziv		Tehnički opis		EAN kod	VP cena (RSD)	MP cena (RSD)
0602207401		0	x	7	<a href="http://www.boschproducttools.com/hubs/psc2-en/search.htm?searchterm=602.207.401">http://www.boschproducttools.com/hubs/psc2-en/search.htm?searchterm=602.207.401</a>	Ravna brusilica HGS 65/32	3165140575546	126,300.00	151,560.00		
0602207404		0	x	7	<a href="http://www.boschproducttools.com/hubs/psc2-en/search.htm?searchterm=602.207.404">http://www.boschproducttools.com/hubs/psc2-en/search.htm?searchterm=602.207.404</a>	Ravna brusilica HGS 65/32	3165140575638	126,300.00	151,560.00		
0602207407		0	x	7	<a href="http://www.boschproducttools.com/hubs/psc2-en/search.htm?searchterm=602.207.407">http://www.boschproducttools.com/hubs/psc2-en/search.htm?searchterm=602.207.407</a>	Ravna brusilica HGS 65/32	3165140575645	124,500.00	149,400.00		
0602208404		0	x	7	<a href="http://www.boschproducttools.com/hubs/psc2-en/search.htm?searchterm=602.208.404">http://www.boschproducttools.com/hubs/psc2-en/search.htm?searchterm=602.208.404</a>	Ravna brusilica HGS 65/32	3165140575652	130,000.00	156,000.00		
0602208434		0	x	7	<a href="http://www.boschproducttools.com/hubs/psc2-en/search.htm?searchterm=602.208.434">http://www.boschproducttools.com/hubs/psc2-en/search.htm?searchterm=602.208.434</a>	Ravna brusilica HGS 65/32	3165140575669	128,900.00	154,680.00		


HF - ravna brusilica HGS 65/50				Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)		
0602209401		0	x	7	Ravna brusilica HGS 65/50	Frekvencija: 200 Hz Napon: 265 V Snaga: 600 W Dozvoljeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 12.000 min-1 Stezna čaura: 6 mm Težina: 2,5 kg	3165140575799	108,800.00	130,560.00	
0602209404		0	x	7	<a href="http://www.boschproduktionside.com/ubotocsi2-epssearch.htm?searchterm=0.602.209.404">http://www.boschproduktionside.com/ubotocsi2-epssearch.htm?searchterm=0.602.209.404</a>	Ravna brusilica HGS 65/50	Frekvencija: 200 Hz Napon: 135 V Snaga: 600 W Dozvoljeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 12.000 min-1 Stezna čaura: 6 mm Težina: 2,9 kg	3165140575812	108,800.00	130,560.00
0602209407		0	x	7	<a href="http://www.boschproduktionside.com/ubotocsi2-epssearch.htm?searchterm=0.602.209.407">http://www.boschproduktionside.com/ubotocsi2-epssearch.htm?searchterm=0.602.209.407</a>	Ravna brusilica HGS 65/50	Frekvencija: 200 Hz Napon: 72 V Snaga: 600 W Dozvoljeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 12.000 min-1 Stezna čaura: 6 mm Težina: 2,9 kg	3165140575829	108,800.00	130,560.00
0602209411		0	x	7	<a href="http://www.boschproduktionside.com/ubotocsi2-epssearch.htm?searchterm=0.602.209.411">http://www.boschproduktionside.com/ubotocsi2-epssearch.htm?searchterm=0.602.209.411</a>	Ravna brusilica HGS 65/50	Frekvencija: 300 Hz Napon: 72 V Snaga: 900 W Dozvoljeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 18.000 min-1 Stezna čaura: 6 mm Težina: 2,9 kg	3165140575836	101,500.00	121,800.00
0602209434		x	0	2	<a href="http://www.boschproduktionside.com/ubotocsi2-epssearch.htm?searchterm=0.602.209.434">http://www.boschproduktionside.com/ubotocsi2-epssearch.htm?searchterm=0.602.209.434</a>	Ravna brusilica HGS 65/50	Frekvencija: 300 Hz Napon: 200 V Snaga: 900 W Dozvoljeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 18.000 min-1 Stezna čaura: 6 mm Težina: 2,9 kg	3165140575843	115,600.00	138,720.00
0602210401		0	x	7	<a href="http://www.boschproduktionside.com/ubotocsi2-epssearch.htm?searchterm=0.602.210.401">http://www.boschproduktionside.com/ubotocsi2-epssearch.htm?searchterm=0.602.210.401</a>	Ravna brusilica HGS 65/50	Frekvencija: 200 Hz Napon: 265 V Snaga: 600 W Dozvoljeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 3.100 min-1 Stezna čaura: 6 mm Težina: 2,8 kg	3165140575850	131,200.00	157,440.00
0602210404		0	x	7	<a href="http://www.boschproduktionside.com/ubotocsi2-epssearch.htm?searchterm=0.602.210.404">http://www.boschproduktionside.com/ubotocsi2-epssearch.htm?searchterm=0.602.210.404</a>	Ravna brusilica HGS 65/50	Frekvencija: 200 Hz Napon: 135 V Snaga: 600 W Dozvoljeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 3.100 min-1 Stezna čaura: 6 mm Težina: 2,8 kg	3165140575867	131,200.00	157,440.00
0602210434		0	x	7	<a href="http://www.boschproduktionside.com/ubotocsi2-epssearch.htm?searchterm=0.602.210.434">http://www.boschproduktionside.com/ubotocsi2-epssearch.htm?searchterm=0.602.210.434</a>	Ravna brusilica HGS 65/50	Frekvencija: 300 Hz Napon: 200 V Snaga: 900 W Dozvoljeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 4.700 min-1 Stezna čaura: 6 mm Težina: 2,8 kg	3165140575874	129,300.00	155,160.00


HF - ravna brusilica HGS 77/50				Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)		
0602211401		0	0	2	<a href="http://www.boschproduktionside.com/ubotocsi2-epssearch.htm?searchterm=0.602.211.401">http://www.boschproduktionside.com/ubotocsi2-epssearch.htm?searchterm=0.602.211.401</a>	Ravna brusilica HGS 77/50	Frekvencija: 200 Hz Napon: 265 V Snaga: 950 W Dozvoljeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 12.000 min-1 Stezna čaura: 8 mm Težina: 5,4 kg	3165140572064	122,800.00	147,360.00
0602211404		0	0	2	<a href="http://www.boschproduktionside.com/ubotocsi2-epssearch.htm?searchterm=0.602.211.404">http://www.boschproduktionside.com/ubotocsi2-epssearch.htm?searchterm=0.602.211.404</a>	Ravna brusilica HGS 77/50	Frekvencija: 200 Hz Napon: 135 V Snaga: 950 W Dozvoljeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 12.000 min-1 Stezna čaura: 8 mm Težina: 5,4 kg	3165140572071	115,600.00	138,720.00
0602211407		0	0	2	<a href="http://www.boschproduktionside.com/ubotocsi2-epssearch.htm?searchterm=0.602.211.407">http://www.boschproduktionside.com/ubotocsi2-epssearch.htm?searchterm=0.602.211.407</a>	Ravna brusilica HGS 77/50	Frekvencija: 200 Hz Napon: 72 V Snaga: 950 W Dozvoljeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 12.000 min-1 Stezna čaura: 8 mm Težina: 5,4 kg	3165140572088	115,600.00	138,720.00
0602211434		x	0	2	<a href="http://www.boschproduktionside.com/ubotocsi2-epssearch.htm?searchterm=0.602.211.434">http://www.boschproduktionside.com/ubotocsi2-epssearch.htm?searchterm=0.602.211.434</a>	Ravna brusilica HGS 77/50	Frekvencija: 300 Hz Napon: 200 V Snaga: 1.450 W Dozvoljeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 18.000 min-1 Stezna čaura: 8 mm Težina: 5,4 kg	3165140572095	115,600.00	138,720.00
0602211411		0	0	2	<a href="http://www.boschproduktionside.com/ubotocsi2-epssearch.htm?searchterm=0.602.211.411">http://www.boschproduktionside.com/ubotocsi2-epssearch.htm?searchterm=0.602.211.411</a>	Ravna brusilica HGS 77/50	Frekvencija: 300 Hz Napon: 72 V Snaga: 1.450 W Dozvoljeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 18.000 min-1 Stezna čaura: 8 mm Težina: 5,4 kg	3165140572101	115,600.00	138,720.00


HF - ravna brusilica HGS 85/40				Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)		
0602245034		0	x	7	<a href="http://www.boschproduktionside.com/ubotocsi2-epssearch.htm?searchterm=0.602.245.034">http://www.boschproduktionside.com/ubotocsi2-epssearch.htm?searchterm=0.602.245.034</a>	Ravna brusilica HGS 85/40	Frekvencija: 300 Hz Napon: 200 V Snaga: 1.800 W Dozvoljeni prečnik brusnog kamena: 40 mm Brzina pri praznom hodu: 18.000 min-1 Vreteno: M14 Težina: 4,8 kg	3165140281188	179,700.00	215,640.00
0602245011		0	x	7	<a href="http://www.boschproduktionside.com/ubotocsi2-epssearch.htm?searchterm=0.602.245.011">http://www.boschproduktionside.com/ubotocsi2-epssearch.htm?searchterm=0.602.245.011</a>	Ravna brusilica HGS 85/40	Frekvencija: 300 Hz Napon: 72 V Snaga: 1.800 W Dozvoljeni prečnik brusnog kamena: 40 mm Brzina pri praznom hodu: 18.000 min-1 Vreteno: M14 Težina: 4,8 kg	3165140281188	136,800.00	164,160.00


HF - ravna brusilica HGS 77/75					Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0602211501		0	0	2	<a href="http://www.boschproduktionsbolz.com/hubspotcs2-en?search term=602211501">http://www.boschproduktionsbolz.com/hubspotcs2-en?search term=602211501</a>	Ravna brusilica HGS 77/75	3165140572255	171,000.00	205,200.00
0602211504		0	0	2	<a href="http://www.boschproduktionsbolz.com/hubspotcs2-en?search term=602211504">http://www.boschproduktionsbolz.com/hubspotcs2-en?search term=602211504</a>	Ravna brusilica HGS 77/75	3165140572262	171,000.00	205,200.00
0602211507		0	0	2	<a href="http://www.boschproduktionsbolz.com/hubspotcs2-en?search term=602211507">http://www.boschproduktionsbolz.com/hubspotcs2-en?search term=602211507</a>	Ravna brusilica HGS 77/75	3165140572279	168,800.00	202,560.00
0602211534		0	0	2	<a href="http://www.boschproduktionsbolz.com/hubspotcs2-en?search term=602211534">http://www.boschproduktionsbolz.com/hubspotcs2-en?search term=602211534</a>	Ravna brusilica HGS 77/75	3165140572286	168,800.00	202,560.00


HF - ravna brusilica HGS 85/80					Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0602243134		0	x	7	<a href="http://www.boschproduktionsbolz.com/hubspotcs2-en?search term=602243134">http://www.boschproduktionsbolz.com/hubspotcs2-en?search term=602243134</a>	Ravna brusilica HGS 85/80	3165140281164	201,000.00	241,200.00

HF - ravna brusilica HGS 77/100					Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0602212401		0	0	2	<a href="http://www.boschproduktionsbolz.com/hubspotcs2-en?search term=602212401">http://www.boschproduktionsbolz.com/hubspotcs2-en?search term=602212401</a>	Ravna brusilica HGS 77/100	3165140571883	200,700.00	240,840.00
0602212404		0	0	2	<a href="http://www.boschproduktionsbolz.com/hubspotcs2-en?search term=602212404">http://www.boschproduktionsbolz.com/hubspotcs2-en?search term=602212404</a>	Ravna brusilica HGS 77/100	3165140571890	198,300.00	237,960.00
0602212407		0	0	2	<a href="http://www.boschproduktionsbolz.com/hubspotcs2-en?search term=602212407">http://www.boschproduktionsbolz.com/hubspotcs2-en?search term=602212407</a>	Ravna brusilica HGS 77/100	3165140571906	198,300.00	237,960.00


HF - ravna brusilica HGS 85/100					Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0602242101		0	x	7	<a href="http://www.boschproduktionsbolz.com/hubspotcs2-en?search term=602242101">http://www.boschproduktionsbolz.com/hubspotcs2-en?search term=602242101</a>	Ravna brusilica HGS 85/100	3165140281119	201,000.00	241,200.00
0602242104		0	x	7	<a href="http://www.boschproduktionsbolz.com/hubspotcs2-en?search term=602242104">http://www.boschproduktionsbolz.com/hubspotcs2-en?search term=602242104</a>	Ravna brusilica HGS 85/100	3165140281126	201,000.00	241,200.00
0602242107		0	x	7	<a href="http://www.boschproduktionsbolz.com/hubspotcs2-en?search term=602242107">http://www.boschproduktionsbolz.com/hubspotcs2-en?search term=602242107</a>	Ravna brusilica HGS 85/100	3165140281133	201,000.00	241,200.00
0602242134		0	x	7	<a href="http://www.boschproduktionsbolz.com/hubspotcs2-en?search term=602242134">http://www.boschproduktionsbolz.com/hubspotcs2-en?search term=602242134</a>	Ravna brusilica HGS 85/100	3165140281140	179,700.00	215,640.00
0602242234		0	x	7	<a href="http://www.boschproduktionsbolz.com/hubspotcs2-en?search term=602242234">http://www.boschproduktionsbolz.com/hubspotcs2-en?search term=602242234</a>	Ravna brusilica HGS 85/100	3165140427036	179,700.00	215,640.00


HF - ravna brusilica HGS 77/125					Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0602213434		0	0	2	<a href="http://www.boschproduktionsbolz.com/hubspotcs2-en?search term=602213434">http://www.boschproduktionsbolz.com/hubspotcs2-en?search term=602213434</a>	Ravna brusilica HGS 77/125	3165140571852	159,800.00	191,760.00


HF - ravna brusilica HGS 88/150				Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0602240104		0	x	7	<a href="http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.240.104">http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.240.104</a>	Ravna brusilica HGS 88/150	3165140281089	193,500.00	232,200.00
0602240107		0	x	7	<a href="http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.240.107">http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.240.107</a>	Ravna brusilica HGS 88/150	3165140281096	193,500.00	232,200.00
0602240134		0	x	7	<a href="http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.240.134">http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.240.134</a>	Ravna brusilica HGS 88/150	3165140281102	185,000.00	222,000.00


HF - ugaona brusilica HWS 5265/125				Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0602324401		0	0	2	<a href="http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.324.401">http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.324.401</a>	Ugaona brusilica HWS 5265/125	3165140558631	82,900.00	99,480.00
0602324404		0	0	2	<a href="http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.324.404">http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.324.404</a>	Ugaona brusilica HWS 5265/125	3165140558648	82,900.00	99,480.00
0602324407		0	0	2	<a href="http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.324.407">http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.324.407</a>	Ugaona brusilica HWS 5265/125	3165140558655	82,900.00	99,480.00
0602324434		0	0	2	<a href="http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.324.434">http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.324.434</a>	Ugaona brusilica HWS 5265/125	3165140558662	82,900.00	99,480.00
0602324441		0	0	2	<a href="http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.324.441">http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.324.441</a>	Ugaona brusilica HWS 5265/125	3165140558679	82,900.00	99,480.00
0602324444		0	0	2	<a href="http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.324.444">http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.324.444</a>	Ugaona brusilica HWS 5265/125	3165140558686	82,900.00	99,480.00
0602324447		0	0	2	<a href="http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.324.447">http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.324.447</a>	Ugaona brusilica HWS 5265/125	3165140558693	82,900.00	99,480.00
0602324464		#N/A	#N/A	#N/A	<a href="http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.324.464">http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.324.464</a>	Ugaona brusilica HWS 5265/125	3165140558709	100,500.00	120,600.00
0602324474		0	0	2	<a href="http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.324.474">http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.324.474</a>	Ugaona brusilica HWS 5265/125	3165140558716	99,100.00	118,920.00

HF - ugaona brusilica HWS 65/125				Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0602301401		0	0	2	<a href="http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.301.401">http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.301.401</a>	Ugaona brusilica HWS 65/125	3165140563086	131,300.00	157,560.00
0602301404		0	0	2	<a href="http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.301.404">http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.301.404</a>	Ugaona brusilica HWS 65/125	3165140533093	131,300.00	157,560.00
0602301407		0	0	2	<a href="http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.301.407">http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.301.407</a>	Ugaona brusilica HWS 65/125	3165140563109	132,800.00	159,360.00
0602301434		0	0	2	<a href="http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.301.434">http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.301.434</a>	Ugaona brusilica HWS 65/125	3165140563116	131,300.00	157,560.00
0602327401		0	0	2	<a href="http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.327.401">http://www.boschprodactiontools.com/ubotocsc2-en?search.htm?searchterm=0.602.327.401</a>	Ugaona brusilica HWS 65/125	3165140563123	139,900.00	167,880.00


HF - ugaona brusilica HWS 77/175					Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0602305401		0	0	2	<a href="http://www.boschproduktionsbolz.com/lobpcoc2-en/search.htm?searchterm=0.602.305.401">http://www.boschproduktionsbolz.com/lobpcoc2-en/search.htm?searchterm=0.602.305.401</a>	Ugaona brusilica HWS 77/175	Frekvencija: 200 Hz Napon: 265 V Snaga: 950 W Dozvoljeni prečnik brusnog diska: 175 mm Brzina pri praznom hodu: 1.750 min-1 Steza priрубnica: M14 Težina: 4,8 kg	3165140571333	140.200,00	168.240,00
0602305404		0	0	2	<a href="http://www.boschproduktionsbolz.com/lobpcoc2-en/search.htm?searchterm=0.602.305.404">http://www.boschproduktionsbolz.com/lobpcoc2-en/search.htm?searchterm=0.602.305.404</a>	Ugaona brusilica HWS 77/175	Frekvencija: 200 Hz Napon: 135 V Snaga: 950 W Dozvoljeni prečnik brusnog diska: 175 mm Brzina pri praznom hodu: 1.750 min-1 Steza priрубnica: M14 Težina: 4,8 kg	3165140571340	140.200,00	168.240,00
0602305407		0	0	2	<a href="http://www.boschproduktionsbolz.com/lobpcoc2-en/search.htm?searchterm=0.602.305.407">http://www.boschproduktionsbolz.com/lobpcoc2-en/search.htm?searchterm=0.602.305.407</a>	Ugaona brusilica HWS 77/175	Frekvencija: 200 Hz Napon: 72 V Snaga: 950 W Dozvoljeni prečnik brusnog diska: 175 mm Brzina pri praznom hodu: 1.750 min-1 Steza priрубnica: M14 Težina: 4,8 kg	3165140571357	141.900,00	170.280,00
0602306434		0	0	2	<a href="http://www.boschproduktionsbolz.com/lobpcoc2-en/search.htm?searchterm=0.602.306.434">http://www.boschproduktionsbolz.com/lobpcoc2-en/search.htm?searchterm=0.602.306.434</a>	Ugaona brusilica HWS 77/175	Frekvencija: 300 Hz Napon: 200 V Snaga: 1450 W Dozvoljeni prečnik brusnog diska: 175 mm Brzina pri praznom hodu: 1.650 min-1 Steza priрубnica: M14 Težina: 4,3 kg	3165140571364	149.400,00	179.280,00


HF - ugaona brusilica HWS 77/180					Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0602304401		0	0	2	<a href="http://www.boschproduktionsbolz.com/lobpcoc2-en/search.htm?searchterm=0.602.304.401">http://www.boschproduktionsbolz.com/lobpcoc2-en/search.htm?searchterm=0.602.304.401</a>	Ugaona brusilica HWS 77/180	Frekvencija: 200 Hz Napon: 265 V Snaga: 950 W Dozvoljeni prečnik brusnog diska: 180 mm Brzina pri praznom hodu: 5.700 min-1 Steza priрубnica: M14 Težina: 5,3 kg	3165140571180	135.200,00	162.240,00
0602304404		0	0	2	<a href="http://www.boschproduktionsbolz.com/lobpcoc2-en/search.htm?searchterm=0.602.304.404">http://www.boschproduktionsbolz.com/lobpcoc2-en/search.htm?searchterm=0.602.304.404</a>	Ugaona brusilica HWS 77/180	Frekvencija: 200 Hz Napon: 135 V Snaga: 950 W Dozvoljeni prečnik brusnog diska: 180 mm Brzina pri praznom hodu: 5.700 min-1 Steza priрубnica: M14 Težina: 5,3 kg	3165140571197	154.300,00	185.160,00
0602304407		0	0	2	<a href="http://www.boschproduktionsbolz.com/lobpcoc2-en/search.htm?searchterm=0.602.304.407">http://www.boschproduktionsbolz.com/lobpcoc2-en/search.htm?searchterm=0.602.304.407</a>	Ugaona brusilica HWS 77/180	Frekvencija: 200 Hz Napon: 72 V Snaga: 950 W Dozvoljeni prečnik brusnog diska: 180 mm Brzina pri praznom hodu: 5.700 min-1 Steza priрубnica: M14 Težina: 5,3 kg	3165140571203	133.700,00	160.440,00

HF - ugaona brusilica HWS 85/180					Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0602329501		0	x	7	<a href="http://www.boschproduktionsbolz.com/lobpcoc2-en/search.htm?searchterm=0.602.329.501">http://www.boschproduktionsbolz.com/lobpcoc2-en/search.htm?searchterm=0.602.329.501</a>	Ugaona brusilica HWS 85/180	Frekvencija: 200 Hz Napon: 265 V Snaga: 1200 W Dozvoljeni prečnik brusnog diska: 180 mm Brzina pri praznom hodu: 8.500 min-1 Steza priрубnica: M14 Težina: 5,8 kg	3165140617192	138.500,00	166.200,00
0602329504		0	x	7	<a href="http://www.boschproduktionsbolz.com/lobpcoc2-en/search.htm?searchterm=0.602.329.504">http://www.boschproduktionsbolz.com/lobpcoc2-en/search.htm?searchterm=0.602.329.504</a>	Ugaona brusilica HWS 85/180	Frekvencija: 200 Hz Napon: 135 V Snaga: 1200 W Dozvoljeni prečnik brusnog diska: 180 mm Brzina pri praznom hodu: 8.500 min-1 Steza priрубnica: M14 Težina: 5,8 kg	3165140617208	140.600,00	168.720,00
0602329507		0	x	7	<a href="http://www.boschproduktionsbolz.com/lobpcoc2-en/search.htm?searchterm=0.602.329.507">http://www.boschproduktionsbolz.com/lobpcoc2-en/search.htm?searchterm=0.602.329.507</a>	Ugaona brusilica HWS 85/180	Frekvencija: 200 Hz Napon: 72 V Snaga: 1200 W Dozvoljeni prečnik brusnog diska: 180 mm Brzina pri praznom hodu: 8.500 min-1 Steza priрубnica: M14 Težina: 5,8 kg	3165140617215	140.600,00	168.720,00
0602329511		0	x	7	<a href="http://www.boschproduktionsbolz.com/lobpcoc2-en/search.htm?searchterm=0.602.329.511">http://www.boschproduktionsbolz.com/lobpcoc2-en/search.htm?searchterm=0.602.329.511</a>	Ugaona brusilica HWS 85/180	Frekvencija: 300 Hz Napon: 72 V Snaga: 1800 W Dozvoljeni prečnik brusnog diska: 180 mm Brzina pri praznom hodu: 8.500 min-1 Steza priрубnica: M14 Težina: 5,8 kg	3165140617222	137.800,00	165.360,00
0602329534		x	0	2	<a href="http://www.boschproduktionsbolz.com/lobpcoc2-en/search.htm?searchterm=0.602.329.534">http://www.boschproduktionsbolz.com/lobpcoc2-en/search.htm?searchterm=0.602.329.534</a>	Ugaona brusilica HWS 85/180	Frekvencija: 300 Hz Napon: 200 V Snaga: 1800 W Dozvoljeni prečnik brusnog diska: 180 mm Brzina pri praznom hodu: 8.500 min-1 Steza priрубnica: M14 Težina: 5,8 kg	3165140617239	136.100,00	163.320,00

HF - ugaona brusilica HWS 88/180					Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0602331501		0	x	7	<a href="http://www.boschproduktions.com/lobocsc-epssearch.htm?searchterm=602.331.501">http://www.boschproduktions.com/lobocsc-epssearch.htm?searchterm=602.331.501</a>	Ugaona brusilica HWS 88/180	Frekvencija: 200 Hz Napon: 265 V Snaga: 1950 W Dozvoljeni prečnik brusnog diska: 180 mm Brzina pri praznom hodu: 8.500 min-1 Stezna priрубnica: M14 Težina: 7,0 kg	3165140617246	134.900,00	161.880,00
0602331504		0	x	7	<a href="http://www.boschproduktions.com/lobocsc-epssearch.htm?searchterm=602.331.504">http://www.boschproduktions.com/lobocsc-epssearch.htm?searchterm=602.331.504</a>	Ugaona brusilica HWS 88/180	Frekvencija: 200 Hz Napon: 135 V Snaga: 1950 W Dozvoljeni prečnik brusnog diska: 180 mm Brzina pri praznom hodu: 8.500 min-1 Stezna priрубnica: M14 Težina: 7,0 kg	3165140617253	134.900,00	161.880,00
0602331507		0	x	7	<a href="http://www.boschproduktions.com/lobocsc-epssearch.htm?searchterm=602.331.507">http://www.boschproduktions.com/lobocsc-epssearch.htm?searchterm=602.331.507</a>	Ugaona brusilica HWS 88/180	Frekvencija: 200 Hz Napon: 72 V Snaga: 1950 W Dozvoljeni prečnik brusnog diska: 180 mm Brzina pri praznom hodu: 8.500 min-1 Stezna priрубnica: M14 Težina: 7,0 kg	3165140617260	134.900,00	161.880,00
0602331534		x	0	2	<a href="http://www.boschproduktions.com/lobocsc-epssearch.htm?searchterm=602.331.534">http://www.boschproduktions.com/lobocsc-epssearch.htm?searchterm=602.331.534</a>	Ugaona brusilica HWS 88/180	Frekvencija: 300 Hz Napon: 200 V Snaga: 2900 W Dozvoljeni prečnik brusnog diska: 180 mm Brzina pri praznom hodu: 8.500 min-1 Stezna priрубnica: M14 Težina: 7,0 kg	3165140617277	134.900,00	161.880,00

HF - ugaona brusilica HWS 88/230					Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0602332501		0	x	7	<a href="http://www.boschproduktions.com/lobocsc-epssearch.htm?searchterm=602.332.501">http://www.boschproduktions.com/lobocsc-epssearch.htm?searchterm=602.332.501</a>	Ugaona brusilica HWS 88/230	Frekvencija: 200 Hz Napon: 265 V Snaga: 1950 W Dozvoljeni prečnik brusnog diska: 230 mm Brzina pri praznom hodu: 6.600 min-1 Stezna priрубnica: M14 Težina: 7,1 kg	3165140617284	134.900,00	161.880,00
0602332504		0	x	7	<a href="http://www.boschproduktions.com/lobocsc-epssearch.htm?searchterm=602.332.504">http://www.boschproduktions.com/lobocsc-epssearch.htm?searchterm=602.332.504</a>	Ugaona brusilica HWS 88/230	Frekvencija: 200 Hz Napon: 135 V Snaga: 1950 W Dozvoljeni prečnik brusnog diska: 230 mm Brzina pri praznom hodu: 6.600 min-1 Stezna priрубnica: M14 Težina: 7,1 kg	3165140617291	134.900,00	161.880,00
0602332507		0	x	7	<a href="http://www.boschproduktions.com/lobocsc-epssearch.htm?searchterm=602.332.507">http://www.boschproduktions.com/lobocsc-epssearch.htm?searchterm=602.332.507</a>	Ugaona brusilica HWS 88/230	Frekvencija: 200 Hz Napon: 72 V Snaga: 1950 W Dozvoljeni prečnik brusnog diska: 230 mm Brzina pri praznom hodu: 6.600 min-1 Stezna priрубnica: M14 Težina: 7,1 kg	3165140617307	134.900,00	161.880,00
0602332511		0	x	7	<a href="http://www.boschproduktions.com/lobocsc-epssearch.htm?searchterm=602.332.511">http://www.boschproduktions.com/lobocsc-epssearch.htm?searchterm=602.332.511</a>	Ugaona brusilica HWS 88/230	Frekvencija: 300 Hz Napon: 72 V Snaga: 2900 W Dozvoljeni prečnik brusnog diska: 230 mm Brzina pri praznom hodu: 6.600 min-1 Stezna priрубnica: M14 Težina: 7,1 kg	3165140617314	134.900,00	161.880,00
0602332534		x	0	2	<a href="http://www.boschproduktions.com/lobocsc-epssearch.htm?searchterm=602.332.534">http://www.boschproduktions.com/lobocsc-epssearch.htm?searchterm=602.332.534</a>	Ugaona brusilica HWS 88/230	Frekvencija: 300 Hz Napon: 200 V Snaga: 2900 W Dozvoljeni prečnik brusnog diska: 230 mm Brzina pri praznom hodu: 6.600 min-1 Stezna priрубnica: M14 Težina: 7,0 kg	3165140617321	134.900,00	161.880,00

HF - ugaona brusilica HWS 810/230					Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0602334501		0	x	7	<a href="http://www.boschproduktions.com/lobocsc-epssearch.htm?searchterm=602.334.501">http://www.boschproduktions.com/lobocsc-epssearch.htm?searchterm=602.334.501</a>	Ugaona brusilica HWS 810/230	Frekvencija: 200 Hz Napon: 265 V Snaga: 2500 W Dozvoljeni prečnik brusnog diska: 230 mm Brzina pri praznom hodu: 6.600 min-1 Stezna priрубnica: M14 Težina: 7,8 kg	3165140617338	201.500,00	241.800,00
0602334504		0	x	7	<a href="http://www.boschproduktions.com/lobocsc-epssearch.htm?searchterm=602.334.504">http://www.boschproduktions.com/lobocsc-epssearch.htm?searchterm=602.334.504</a>	Ugaona brusilica HWS 810/230	Frekvencija: 200 Hz Napon: 135 V Snaga: 2500 W Dozvoljeni prečnik brusnog diska: 230 mm Brzina pri praznom hodu: 6.600 min-1 Stezna priрубnica: M14 Težina: 7,8 kg	3165140617345	201.500,00	241.800,00
0602334507		0	x	7	<a href="http://www.boschproduktions.com/lobocsc-epssearch.htm?searchterm=602.334.507">http://www.boschproduktions.com/lobocsc-epssearch.htm?searchterm=602.334.507</a>	Ugaona brusilica HWS 810/230	Frekvencija: 200 Hz Napon: 72 V Snaga: 2500 W Dozvoljeni prečnik brusnog diska: 230 mm Brzina pri praznom hodu: 6.600 min-1 Stezna priрубnica: M14 Težina: 7,8 kg	3165140617352	201.500,00	241.800,00
0602334534		x	0	2	<a href="http://www.boschproduktions.com/lobocsc-epssearch.htm?searchterm=602.334.534">http://www.boschproduktions.com/lobocsc-epssearch.htm?searchterm=602.334.534</a>	Ugaona brusilica HWS 810/230	Frekvencija: 300 Hz Napon: 200V Snaga: 3800 W Dozvoljeni prečnik brusnog diska: 230 mm Brzina pri praznom hodu: 6.600 min-1 Stezna priрубnica: M14 Težina: 7,8 kg	3165140617369	201.500,00	241.800,00

HF - ugaona brusilica HWS 810/300					Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0602335001		0	x	7	<a href="http://www.boschproduktions.com/lobocsc-epssearch.htm?searchterm=602.335.001">http://www.boschproduktions.com/lobocsc-epssearch.htm?searchterm=602.335.001</a>	Ugaona brusilica HWS 810/300	Frekvencija: 200 Hz Napon: 265V Snaga: 2500 W Dozvoljeni prečnik brusnog diska: 300 mm Brzina pri praznom hodu: 4.700 min-1 Stezna priрубnica: M14 Težina: 11,0 kg	3165140281720	185.600,00	222.720,00
0602335004		0	x	7	<a href="http://www.boschproduktions.com/lobocsc-epssearch.htm?searchterm=602.335.004">http://www.boschproduktions.com/lobocsc-epssearch.htm?searchterm=602.335.004</a>	Ugaona brusilica HWS 810/300	Frekvencija: 200 Hz Napon: 135V Snaga: 2500 W Dozvoljeni prečnik brusnog diska: 300 mm Brzina pri praznom hodu: 4.700 min-1 Stezna priрубnica: M14 Težina: 11,0 kg	3165140281737	183.300,00	219.960,00
0602335007		0	x	7	<a href="http://www.boschproduktions.com/lobocsc-epssearch.htm?searchterm=602.335.007">http://www.boschproduktions.com/lobocsc-epssearch.htm?searchterm=602.335.007</a>	Ugaona brusilica HWS 810/300	Frekvencija: 200 Hz Napon: 72V Snaga: 2500 W Dozvoljeni prečnik brusnog diska: 300 mm Brzina pri praznom hodu: 4.700 min-1 Stezna priрубnica: M14 Težina: 11,0 kg	3165140281744	185.600,00	222.720,00

0602335034	0	x	7	<a href="http://www.boschpowertools.com/uk/en/2-pgsearch.htm?searchterm=694336334">http://www.boschpowertools.com/uk/en/2-pgsearch.htm?searchterm=694336334</a>	Ugaona brusilica HWS 810/300	Frekvencija: 300 Hz Napon: 200V Snaga: 3800 W Dozvoljeni prečnik brusnog diska: 300 mm Brzina pri praznom hodu: 5.100 min-1 Stezna prirubnica: M14 Težina: 11,0 kg	3165140281751	183,300.00	219,960.00
------------	---	---	---	---	------------------------------	--	---------------	------------	------------